

TABLE OF CONTENTS

Barr Marine By EDM 100 Douglas Way

P.O. Box 190

Natural Bridge Station, VA 24579

Toll Free: (866) 255-9265 Phone: (540) 291-4180

Fax: (540) 291-4185



Introduction		1
Engine Exhaust Systems	S	2
		3
Identification List		4
Manifolds and Risers Se	ection	
Barr Marine Di	esel Riser	5
Chevrolet Alum	ninum Exhaust System	6-7
Chris Craft	,	8-11
Chrysler		12-15
Crusader		16-21
Detroit Diesel		22
Flagship		23-24
Graymarine		25-26
•		27-29
Interceptor		30-33
MerCruiser		34-55
OMC		56-68
		69
Pleasurecraft		70
Universal Atom	nic 4	71
Volvo		72-78
Waukesha		79
Miscellaneous Items		
Center Dischar	ge Exhaust Riser	80
Center Dischar	ge Manifold and Riser System Dimensions	81-82
Exhaust Risers	and Connectors	83-85
Thermostats an	d Thermostat Housing Assemblies	86
Adaptor Bell Ho	ousings	87
	Mounts	88
Torsional Damp		89
Flame Arrestors	S	90
Strainer Pro		94
Cross Over Refe	erence Guide	91-94
It's the Law Know Your	Rights	95
Warranties	0	96-97

INTRODUCTION

Business Philosophy

Barr Marine by EDM, a pioneer in the marine engine component replacement field, was founded in 1933 by Horatio W. Barraclough, Sr. under the name Marine Salvage. Today, Barr Marine by EDM is the last and only U.S. Manufacturer of inboard parts in the World and offers the largest selection of inboard parts available for immediate shipment. The foundation of this growth began in 1933 with Barr Marine's customer-centered philosophy. Simply stated, we know the products and since 1933 our staff has made it a point to answer questions promptly while providing diagrams and dimensions for added technical support.

Redefining the Industry

There are several distinctive factors that separate Barr Marine by EDM from the competition:

- · More variety. More available configurations. More hard to find parts. Barr Marine offers in stock availability of the largest selection of inboard marine parts
- · Barr Marine is the only manufacturer that paints replacement components to match original manufactures colors
- Superior Quality and a 3 Year Limited Warranty on exhaust manifolds, risers and exhaust connectors
- · Manifolds and Risers include all mounting gaskets and hardware
- · All castings have a thicker interior wall and are packed in foam for added protection prior to shipping and storage
- Same-Day Shipment on orders entered by 3:00pm Eastern Standard Time USA (UPS Shipments)
- · On-Time delivery
- · Toll-free technical support 866-255-9265
- World-Wide distribution

When you're ready to take the performance of your parts distribution company to a whole new level, contact Barr Marine by EDM.

ENGINE EXHAUST SYSTEMS

During the operation of any marine engine-gas or diesel-exhaust gases are produced and must be removed from the engine and conducted outside the boat. While there are two basic exhaust systems, wet and dry, the wet system is the one most often found in pleasure boats as well as many work boats. This system mixes the exhaust gases with engine-cooling water and then discharges them through the transom of the boat via an exhaust line.

Exhaust Manifold

Attached to the engine is an exhaust manifold with its exhaust inlets matching the exhaust outlet ports of the engine. Circulating cooling water through the water jacket surrounding the exhaust gas chamber cools this manifold.

Exhaust Connector

At the exhaust end of the manifold is an exhaust connector. This connector is an intermediary between the manifold and an exhaust hose or pipe. This connector also mixes the exhaust gases with water to further cool the gases, and it operates as a means for directing the gas and water outflows so that a connection can be made between the manifold and the exhaust tubing.

Particular attention must be paid to the relative height difference between the center line of the exhaust end of the center line of the transom overboard exhaust fitting, the exhaust connector and can be exhaust dump or drop of a convenient angle.

In those instances where the manifold is not appreciably above or is below the overboard fitting, an exhaust riser is used. By design, the riser acts as a dam to keep both exhaust-cooling water and seawater from back flooding into the engine and destroying it.

Back Pressure

From an engineering viewpoint, the most critical design requirement for exhaust systems is to limit the backpressure on the engine to a minimum. Backpressure is the pressure that builds up in the exhaust manifold engine exhaust outlets. The lower the pressure in the exhaust, the more efficient the operation of the engine. Low backpressure is achieved by designing exhaust passages to minimize resistance to the flow of gases and to prove for a uniform gas flow away from all cylinders.

Barr manifolds and exhaust connectors are designed to minimize backpressure. In many cases, after replacing an OEM manifold with Barr replacement parts, more r.p.m.'s are achieved.

Replacement Exhaust Systems

When the need arises to replace an OEM-installed manifold and/or exhaust connector, one of the three situations will exist: replacement of both manifold and connector, replacement of the manifold only, or replacement of the exhaust connector only.

When replacing both manifold and connector, normally there are no problems in matching, and connection to existing exhaust lines is usually very easy. When replacing just the manifold or just the exhaust connector, problems can arise in matching the replacement part to the existing part. Barr recognizes these problems and, wherever possible, has provided the necessary adaptors for connecting a Barr replacement manifold or exhaust connector to original exhaust parts.

COMPLETE LIST OF BARR CONVERSION MANIFOLDS

PART NUMBER

ENGINE APPLICATION

Buick V8: 364, 401 & 425 C.I.D.; 1957-66 BV-1-57 Buick V8: 400, 435 & 455 C.I.D.; 1967-76 BV-1-67 Buick V6: 198, 225 & 231 C.I.D.; All Models BV6-1-75 Caterpillar V8 Diesel: 636 C.I.D.; Naturally Aspirated CAT-1-3208 Chevrolet 4 Cylinder: 153 & 181 C.I.D. MC-1-0120 Chevrolet 6 Cylinder: 194, 230, 250 & 292 C.I.D.; 1962-75 C-1-6364 Chevrolet V8 OHV: 235 & 283 C.I.D.; 1955-57 CHV-1-5557 Chevrolet V8 OHV: 305, 307, 327, 350 & 400 C.I.D.; 1962 Up CHV-1-63 Chevrolet V8 OHV: 348 & 409 C.I.D. 1958-65 CHVA-1-58 Chevrolet V8 OHV: 396, 427 & 454 C.I.D.; 1966 Up CHVA-1-65 Chevrolet V8 OHV: 396, 427 & 454 C.I.D.; 1966 Up CHVA-1-84** Chevrolet V8 OHV: 396, 427 & 454 C.I.D.; 1966 Up CHVA-1-92# Chevrolet V8: Fits All Small Block Chevy 283-400 C.I.D. CHV-1-83** Chevrolet V8: Fits All Small Block Chevy 283-400 C.I.D. CHV-1-92# Detroit Diesel V8: 6.2 Liter CHD-1-82 Detroit Diesel V8: 8.2 Liter DD-1-501 Detroit Diesel: 3/71 & 6V/71 DD-1-3710 Detroit Diesel: 4/71 & 8V/71 (Will Fit Early 92 Series/Call Barr) DD-1-4710 Detroit Diesel: 6/71 & 12V/71 (Will Fit Early 92 Series/Call Barr) DD-1-6710 Ford Falcon, Comet 6 Cylinder 144 & 177 C.I.D.; 1960-64 FC-1-60 Ford V8: Fits 260, 289, 302 & 351 C.I.D. (Windsor Models Only) FM-1-83**## Ford, Lincoln, Mercury: 460 C.I.D.; All Years FM 1 7275 Ford & Mercury V8 OHV: 239, 292 & 312 C.I.D. FM-1-5457 Ford & Mercury V8: 221, 260 & 289 C.I.D.; 1962 Up FM-1-6268 Ford & Mercury V8: 302 & 351 C.I.D. Windsor 2 Barrel Carburetor FM-1-6970## Ford & Mercury V8 OHV: 332, 352, 390 and 427 C.I.D.;1958-67 FE-1-58 Oldsmobile V8 Diesel: 260 & 350 C.I.D.; 1978 Up OR-1-73 Oldsmobile Rocket V8: 330, 350, 400, 425 & 455 C.I.D. OR-1-73

**CENTER RISER MANIFOLD #ALUMINUM MANIFOLD ##WILL NOT FIT CLEVELAND ENGINES

MANIFOLD END PLATE & GASKET INDENTIFICATION LISTING

Manifold	Front		Exhaust		Header
Part #	End Plate	Gasket	End Plate	Gasket	Adaptor
BV-1-57	1-0032	1-0019	1-0025	1-0019	1-0001
BV-1-67	1-0032	1-0019	1-0025	1-0019	1-0001
BV6-1-75	1-0092	1-0022	1-0024##	1-0022	1-0000
C-1-6364	1-0032	1-0019	1-0025	1-0019	1-0001
C6-1-M7M27	1-0056	1-0062	1-0067*	1-0068	1-0007
C6-1-M47	1-0057	1-0062	1-0067*	1-0068	1-0007
CAT-1-3208	DA-1-6371L2/R2	1-0019	1-0025	1-0019	1-0001
CHD-1-82	1-0036	1-0019	1-0025	1-0019	1-0001
CHV-1-5557	1-0042	1-0022	1-0024	1-0022	1-0000
CHV-1-63	1-0032	1-0019	1-0025	1-0019	1-0001
CHVA-1-58	1-0032	1-0019	1-0025	1-0019	1-0001
CHVA-1-65	1-0032	1-0019	1-0025	1-0019	1-0001
CM-1-5665	1-0092	1-0022	1-0024##	1-0022	1-0000
D-1-M6M26	1-0056	1-0062	1-0067*	1-0068	1-0007
D-1-M46SP	1-0057	1-0062	1-0067*	1-0068	1-0007
D1-M46ST	1-0057	1-0062	1-0067*	1-0068	1-0007
DD-1-501	1-0036	1-0019`	1-0025	1-0019	1-0001
FC-1-60	1-0042	1-0022	1-0024	1-0022	1-0000
FE-1-58	1-0032	1-0019	1-0025	1-0019	1-0001
FM-1-5457	1-0031	1-0022	1-0024	1-0022	1-0000
FM-1-6970	1-0032	1-0019	1-0025	1-0019	1-0001
FM-1-7275	1-0032	1-0019	1-0025	1-0019	1-0001
GR-1-162**	1-0059	1-0060	GR-1-0001**	N/A	N/A
GR-1-175**	1-0059	1-0060	GR-1-0001**	N/A	N/A
GR-1-226	1-0009	1-0011	GR-1-0001**	N/A	N/A
GR-1-3273L	GR-1-0005L	GR-1-0006	GR-1-0003L	GR-1-0006	1-0069
GR-1-3273R	GR-1-0005R	GR-1-0006	GR-1-0003R	GR-1-0006	1-0069
GR-1-3274L	GR-1-0005L	GR-1-0006	GR-1-0002L	GR-1-0006	1-0002
GR-1-3274R	GR-1-0005R	GR-1-0002R	GR-1-0002R	GR-1-0006	1-0002
GR-1-6470	GR-1-6470A	1-0019	1-0036##	1-0019	1-0001
INT-1-5457L	1-0072	1-0022	1-0024##	1-0022	1-0000
INT-1-5457R	1-0074	1-0022	1-0024##	1-0022	1-0000
INT-1-58L	1-0077	1-0019	1-0025##	1-0019	1-0001
INT-1-58R	1-0076	1-0019	1-0025##	1-0019	1-0001
INT-1-6268L	1-0072	1-0022	1-0024##	1-0022	1-0000
INT-1-6268R	1-0074	1-0022	1-0024##	1-0022	1-0000
MC-1-0120	1-0075	1-0022	1-0092	1-0022	NOT REQ'D
MC-1-6364	C-1-6365B	1-0019	1-0036	1-0019	NOT REQ'D
OF-1-60	1-0036	1-0019	1-0025	1-0019	1-0001
OR-1-73	NOT REQ'D	NOT REQ'D	1-0080	1-0082	1-0081
V6D-1-478	V8D-1-0002	V8D-1-0003	V8D-1-0001##	V8D-1-0003	V8D-1-0004
V8D-1-637	V8D-1-0002	V8D-1-0003	V8D-1-0001##	V8D-1-0003	V8D-1-0004

^{*}NOTE: MANIFOLDS WITH FOUR BOLT STYLE AND FLANGES REQUIRE ADAPTOR # 1-0061 AND GASKET 1-0062 BETWEEN MANIFOLD AND END PLATE.

^{**}NOTE: PART # GR-1-0001 IS A REPLACEMENT FOR THE ORIGINAL GRAY THREADED FLANGE AND IS NOT SUPPLIED WITH THE MANIFOLD. MANIFOLDS MARKED (**) THUS CAN BE USED WITH THE ORIGINAL GRAY EXHAUST FITTING.

^{##} HEADER ADAPTOR FURNISHED INSTEAD OF EXHAUST END PLATE.

BARR MARINE DIESEL ENGINE RISER




20-0094	Versatile 1 1/2" N.P.T. exhaust riser. Approx. 10 lbs in weight; Gray Iron.
20-0101	Versatile 1 1/2" N.P.T. exhaust riser. Approx. 2 1/2 lbs. in weight; Aluminum.
50-090-150	1 1/2" N.P.T. Pipe Plug



CHEVROLET V8-283, 302, 305, 307, 327 AND 350 C.I.D.

ALL MODELS CENTER RISER GENERIC

Aluminum



CHV-1-92	Water cooled center discharge manifold to fit the small block GM engine (3/4" N.P.T. cooling hose connections). All years.
20-0108	Water cooled center discharge riser (3/4" N.P.T. cooling hose connection). Standard for use with 3" I.D. exhaust hose.
20-0107	Water cooled center discharge riser (3/4" N.P.T. cooling hose connection). Standard for use with 4" I.D. exhaust hose.
1-0105	Center riser manifold-to-riser gasket for fresh water cooling.
1-0107	Center riser manifold-to-riser gasket (raw water cooling).
20-0107P	Riser mounting package for both 20-0107 and 20-0108.
20-0087P	90 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 3" I.D. exhaust hose.
20-0089P	30 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 3" I.D. exhaust hose.
20-0093P	90 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 3 1/2" or 4" I.D. exhaust hose.
CHV-1-92P	Manifold mounting package (in- cludes bolts and pipe plugs).
CHV-47-0000	Manifold to cylinder head gasket.

Note:

Manifold includes CHV 1 92P (mounting package to head) and risers include 20 0107P (mounting package to manifold).

The center riser is a two-piece aluminum manifold/riser ideally suited for replacement use where riser protection is required. The Barr Center Riser aluminum manifold/riser uses flexible exhaust hose which facilitates connection to existing exhaust lines. All elbows (cast iron) can swivel inboard or outboard for perfect fit. The Barr Center Riser aluminum manifold/riser is designed to limit back presure on the engine, resulting in more efficient engine performance. The manifold and riser can be reversed and will fit either side of the engine.

The Barr Center Riser aluminum manifold/riser is cast of 356 T6 aluminum, well suited for fresh water marine applications. Barr Marine's Center Riser aluminum manifold/riser come wih a one year warranty. However, Barr Marine By EDM does not recommend use of this product in salt water applications and does not warrant this product in salt water due to extreme corrosion.

CHEVROLET BIG BLOCK 427 AND 454 C.I.D.

ALL MODELS CENTER RISER GENERIC

Aluminum



CHVA-1-92	Water cooled center discharge manifold to fit the big block GM engine (3/4" N.P.T. cooling hose connections). All years.
20-0108	Water cooled center discharge riser (3/4" N.P.T. cooling hose connection). Standard for use with 3" I.D. exhaust hose.
20-0107	Water cooled center discharge riser (3/4" N.P.T. cooling hose connection). Standard for use with 4" I.D. exhaust hose.
1-0105	Center riser manifold-to-riser gasket for fresh water cooling.
1-0107	Center riser manifold-to-riser gasket (raw water cooling).
20-0107P	Riser mounting package for both 20-0107 and 20-0108.
20-0087P	90 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 3" I.D. exhaust hose.
20-0089P	30 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 3" I.D. exhaust hose.
20-0093P	90 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 3 1/2" or 4" I.D. exhaust hose.
CHVA-1-92P	Manifold mounting package (in- cludes bolts and pipe plugs).
CHVA-47-0000	Manifold to cylinder head gasket.

Note:

Manifold includes CHV 1 92P (mounting package to head) and risers include 20 0107P (mounting package to manifold).

The center riser is a two-piece aluminum manifold/riser ideally suited for replacement use where riser protection is required. The Barr Center Riser aluminum manifold/riser uses flexible exhaust hose which facilitates connection to existing exhaust lines. All elbows (cast iron) can swivel inboard or outboard for perfect fit. The Barr Center Riser aluminum manifold/riser is designed to limit back presure on the engine, resulting in more efficient engine performance. The manifold and riser can be reversed and will fit either side of the engine.

The Barr Center Riser aluminum manifold/riser is cast of 356 T6 aluminum, well suited for fresh water marine applications. Barr Marine's Center Riser aluminum manifold/riser come wih a one year warranty. However, Barr Marine By EDM does not recommend use of this product in salt water applications and does not warrant this product in salt water due to extreme corrosion.

CHRIS CRAFT V8-283, 302, 305, 307, 327 AND 350 C.I.D.

ALL MODELS LOG STYLE DIRECT REPLACEMENT

The CC-1-07686 must not be used in 3 pass plumbing systems!



CC 1 07686







CC 20 08289



CC 20 07605



CC 20 07593







CC47 1650 06022





CC-1-07686	Direct replacement water cooled manifold. Replaces Chris Craft part # 16.20-07686.		
CC-20-08288	Direct replacement port side riser.		
CC-20-08289	Direct replacement starboard side riser.		
CC-1-07686P	Manifold mounting package.		
CC-6-80	Pressure relief valve adaptor package for use with Chris Craft direct replace- ment risers as needed.		
CC-20-07593	Riser/deflector plate. Replaces Chris Craft part #16.20-07593 (Order (2) of the appropriate gaskets according to your requirements).		
CC-20-07605	Direct replacement exhaust elbow.		
CC-20-0828P	Exhaust riser mounting package.		
CC47-1650-05944	End cap gasket for all models except 283 C.I.D. with flywheel forward (Order (2) of the appropriate gaskets according to your requirements).		
CC47-1650-06022	End cap gasket for 283 C.I.D. with flywheel forward (Order (2) of the appropriate gaskets according to your requirements).		
CC47-1650-07290	Pressure relief valve housing gasket.		
CC47-1650-07596	Riser/deflector plate gasket. Also requires gasket CC47-1650-07597 (Order (2) of the appropriate gaskets according to your requirements).		
CC47-1650-07597	Riser/tail pipe gasket. Also requires gasket CC47-1650-07596 (Order (2) of the appropriate gaskets according to your requirements).		
CC47-1650-07681	Adaptor/tail pipe gasket for 283 C.I.D. with flywheel forward (Order (2) of the appropriate gaskets according to your requirements).		
CHV-47-0000	Manifold to cylinder head gasket.		

Manifold includes all mounting hardware to head, gaskets and plugs. Risers include mounting gaskets and plugs only. Order CC 20 0828P to mount riser to manifold ((2) required per engine).











CHRIS CRAFT V8-283, 302, 305, 307, 327 AND 350 C.I.D.

ALL MODELS GENERIC



1-0012L	Adaptor for Chris Craft V8 283 C.I.D.
	Manifolds prior to Models F, G, K
	and Q (three pass manifold system)
	left side. Requires Chris Craft adaptor
	part #16.20-07602 (port side).
1-0012R	Adaptor for Chris Craft V8 283 C.I.D.
1 001210	Manifolds prior to Models F, G, K
	and Q (three pass manifold system)
	right side. Requires Chris Craft
	adaptor part #16.20-07064 (starboard
	side).
1-0283A	
1-0203A	Adaptor for Chris Craft V8 283, 302, 305, 307, 327 and 350 C.I.D. Mani-
	folds, Models F, G, and K (two pass
	manifold system). Not pictured.
1-0283L	
1-0283L	Adaptor for Chris Craft V8 283, 302,
	305, 307, 327 and 350 C.I.D. Manifolds, Model O. (single pass manifold
	folds, Model Q (single pass manifold
	system) left side.
1-0283L	Adaptor for Chris Craft V8 283, 302,
	305, 307, 327 and 350 C.I.D. Mani-
	folds, Model Q (single pass manifold
	system) right side.
20-0000	Swivel-type high discharge exhaust
	riser; 8 1/2" riser protection. Re-
	quires (1) mounting hardware kit
	#20-0002P per riser. Use only with
	2 7/8" to 3" I.D. exhaust hose.
20-0002P	Mounting hardware kit.
20-0031	Swivel-type 90 degree exhaust elbow
	connector with internal water dis-
	charge. Accepts 2 1/2" to 3" I.D. ex-
	haust hose. Requires (1) mounting
	hardware kit #20-0002P per elbow.
20-0034 or 20-0035	Exhaust connector #20-0035 (for
20-0034 01 20-0033	2 1/2" I.D. exhaust hose) or exhaust
	connector #20-0034 (for 3" I.D. ex-
	haust hose). Connects to #20-0039
	using (1) #20-0002P per connector.
20-0039	
20-0039	Fully jacketed swivel-type exhaust
	riser; 7" riser protection. Requires (2)
	mounting hardware kits #20-0002P
	((1) kit to mount riser to manifold
	and (1) kit to mount elbows #20-0034
	or #20-0035 to riser). Use for Models
	F, G, K, and Q; requires (1) CC-6-80
	package.
20-0055	Swivel-type 30 degree exhaust elbow
	connector; fully jacketed. Accepts
	2 1/2" or 3" I.D. exhaust hose. Re-
	quires (1) mounting hardware kit
	#20-0002P per elbow.
CC-6-80	Pressure relief valve adaptor package
	for Chris Craft V8 Models F, G, K,
	and Q. Use with #20-0039 riser.
CC47-1650-05944	End cap gasket for all models except
	283 C.I.D. with flywheel forward
	(Order (2) of the appropriate gaskets
	according to your requirements).
CC47 1650 06022	
CC47-1650-06022	End gasket for 283 C.I.D. with fly-
	wheel forward (Order (2) of the
	appropriate gaskets according to your
	requirements
	requirements).

CHRIS CRAFT V8-283, 302, 305, 307, 327 AND 350 C.I.D.

ALL MODELS CENTER RISER GENERIC







20 0082



20 0097




























fold to fit the small block GM engine (3/4" N.P.T. cooling hose connections). All years. 20-0082 Water cooled center discharge riser (3/4" N.P.T. cooling hose connection). Standard for use with 3" I.D. exhaust hose. 20-0100 Water cooled center discharge riser (3/4" N.P.T. cooling hose connection). Standard for use with 4" I.D. exhaust hose. 1-0104P Adaptor package for fresh water cooled manifold (includes gaskets and block off plate). 1-0105 Center riser manifold-to-riser gaske for fresh water cooling. Used in pre-heating applications (includes gaskets and block off plate with vent hole). 1-0107 Center riser manifold-to-riser gaske (raw water cooling). 20-0082P Riser mounting package for both 20-0082 and 20-0100. Stainless steel mounting package (with brass plugs) for both 20-0082 and 20-0100. Stainless steel mounting package (with brass plugs) for both 20-0082 and 20-0100. Not pictured. 20-0085P Straight exhaust adaptor (includes adaptor, hose and clamps). For use with 2 1/2" I.D. exhaust hose. 20-0086P 90 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 2 1/2" I.D. exhaust hose. 20-0089P 30 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 2 1/2" I.D. exhaust hose. 20-0089P 30 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 2 1/2" I.D. exhaust hose. 20-0089P 30 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 3" I.D. exhaust hose. 20-0089P 30 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 3" I.D. exhaust hose. 20-0089P 30 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 3" I.D. exhaust hose. 20-0089P 30 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 3" I.D. exhaust hose. 20-0089P 30 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 3" I.D. exhaust hose. 20-0089P 30 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 3" I.D. ex		
20-0082 Water cooled center discharge riser (3/4" N.P.T. cooling hose connection). Standard for use with 3" I.D. exhaust hose. 20-0100 Water cooled center discharge riser (3/4" N.P.T. cooling hose connection). Standard for use with 4" I.D. exhaust hose. 1-0104P Adaptor package for fresh water cooled manifold (includes gaskets and block off plate). 1-0105 Center riser manifold-to-riser gaske for fresh water cooling. Used in pre-heating applications (includes gaskets and block off plate with vent hole). 1-0107 Center riser manifold-to-riser gaske (raw water cooling). 20-0082P Riser mounting package for both 20-0082 and 20-0100. 20-0082S-P Stainless steel mounting package (with brass plugs) for both 20-0082 and 20-0100. Not pictured. 20-0085P Straight exhaust adaptor (includes adaptor, hose and clamps). For use with 2 1/2" I.D. exhaust hose. 20-0088P 30 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 2 1/2" I.D. exhaust hose. 20-0089P 30 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 2 1/2" I.D. exhaust hose. 20-0089P 30 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 2 1/2" I.D. exhaust hose. 20-0089P 30 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 3" I.D. exhaust hose. 20-0089P 30 degree of the engine. CC-27-79 Alternator bracket. Use where engin water pump is mounted on the starboard side of the engine. CHV-1-83P Manifold mounting package (includes bolts and pipe plugs). CHV-1-83S-P Stainless steel manifold mounting	CHV-1-83	Water cooled center discharge manifold to fit the small block GM engine (3/4" N.P.T. cooling hose con-
(3/4" N.P.T. cooling hose connection). Standard for use with 3" I.D. exhaust hose. 20-0100 Water cooled center discharge riser (3/4" N.P.T. cooling hose connection). Standard for use with 4" I.D. exhaust hose. 1-0104P Adaptor package for fresh water cooled manifold (includes gaskets and block off plate). 1-0105 Center riser manifold-to-riser gaske for fresh water cooling. Used in pre-heating applications (includes gaskets and block off plate with vent hole). 1-0107 Center riser manifold-to-riser gaske fraw water cooling. Used in pre-heating applications (includes gaskets and block off plate with vent hole). 20-0082P Riser mounting package for both 20-0082 and 20-0100. 20-0082SS-P Stainless steel mounting package (with brass plugs) for both 20-0082 and 20-0100. Not pictured. 20-0085P Straight exhaust adaptor (includes adaptor, hose and clamps). For use with 2 1/2" I.D. exhaust hose. 20-0086P 90 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 2 1/2" I.D. exhaust hose. 20-0088P 30 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 2 1/2" I.D. exhaust hose. 20-0089P 30 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 3" I.D. exhaust hose. 20-0097 3" spacer block (complete with mounting hardware, gasket and 3/4" pipe plug). Capable of stacking. CC-27-79 Alternator bracket. Use where engin water pump is mounted on the starboard side of the engine. CHV-1-83P Manifold mounting package (includes bolts and pipe plugs). CHV-1-83S-P Stainless steel manifold mounting		
(3/4" N.P.T. cooling hose connection). Standard for use with 4" I.D. exhaust hose. 1-0104P Adaptor package for fresh water cooled manifold (includes gaskets and block off plate). 1-0105 Center riser manifold-to-riser gaske for fresh water cooling. 1-0106P Adaptor package for raw water cooling. Used in pre-heating applications (includes gaskets and block off plate with vent hole). 1-0107 Center riser manifold-to-riser gaske (raw water cooling). 20-0082P Riser mounting package for both 20-0082 and 20-0100. 20-0082SS-P Stainless steel mounting package (with brass plugs) for both 20-0082 and 20-0100. Not pictured. 20-0085P Straight exhaust adaptor (includes adaptor, hose and clamps). For use with 2 1/2" I.D. exhaust hose. 20-0086P 90 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 2 1/2" I.D. exhaust hose. 20-0088P 30 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 2 1/2" I.D. exhaust hose. 20-0089P 30 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 3" I.D. exhaust hose. 20-0089P 30 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 3" I.D. exhaust hose. 20-0089P 30 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 3" I.D. exhaust hose. 20-0089P 30 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 3" I.D. exhaust hose. 20-0089P 30 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 3" I.D. exhaust hose. CC-27-79 Alternator bracket. Use where engin water pump is mounted on the starboard side of the engine. CHV-1-83P Manifold mounting package (includes bolts and pipe plugs). CHV-1-83P Stainless steel manifold mounting	20-0082	(3/4" N.P.T. cooling hose connection). Standard for use with 3"
cooled manifold (includes gaskets and block off plate). 1-0105 Center riser manifold-to-riser gaske for fresh water cooling. 1-0106P Adaptor package for raw water cooling. Used in pre-heating applica tions (includes gaskets and block off plate with vent hole). 1-0107 Center riser manifold-to-riser gaske (raw water cooling). 20-0082P Riser mounting package for both 20-0082 and 20-0100. 20-0082SS-P Stainless steel mounting package (with brass plugs) for both 20-0082 and 20-0100. Not pictured. 20-0085P Straight exhaust adaptor (includes adaptor, hose and clamps). For use with 2 1/2" I.D. exhaust hose. 20-0086P 90 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 2 1/2" I.D. exhaust hose. 20-0088P 30 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 2 1/2" I.D. exhaust hose. 20-0089P 30 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 3" I.D. exhaust hose. 20-0089P 30 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 3" I.D. exhaust hose. Alternator bracket. Use where engin water pump is mounted on the starboard side of the engine. CC-27-79 Alternator bracket. Use where engin water pump is mounted on the starboard side of the engine. CHV-1-83P Manifold mounting package (includes bolts and pipe plugs). CHV-1-83SS-P Stainless steel manifold mounting	20-0100	(3/4" N.P.T. cooling hose connection). Standard for use with 4"
for fresh water cooling. 1-0106P Adaptor package for raw water cooling. Used in pre-heating applica tions (includes gaskets and block off plate with vent hole). 1-0107 Center riser manifold-to-riser gaske (raw water cooling). 20-0082P Riser mounting package for both 20-0082 and 20-0100. 20-0082SS-P Stainless steel mounting package (with brass plugs) for both 20-0082 and 20-0100. Not pictured. 20-0085P Straight exhaust adaptor (includes adaptor, hose and clamps). For use with 2 1/2" I.D. exhaust hose. 20-0086P 90 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 2 1/2" I.D. exhaust hose. 20-0088P 30 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 2 1/2" I.D. exhaust hose. 20-0089P 30 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 3" I.D. exhaust hose. 20-0089P Alternator bracket. Use where engin water pump is mounted on the starboard side of the engine. CC-27-79 Alternator bracket. Use where engin water pump is mounted on the starboard side of the engine. CHV-1-83P Stainless steel manifold mounting	1-0104P	cooled manifold (includes gaskets
cooling. Used in pre-heating applica tions (includes gaskets and block off plate with vent hole). 1-0107 Center riser manifold-to-riser gaske (raw water cooling). 20-0082P Riser mounting package for both 20-0082 and 20-0100. 20-0082SS-P Stainless steel mounting package (with brass plugs) for both 20-0082 and 20-0100. Not pictured. 20-0085P Straight exhaust adaptor (includes adaptor, hose and clamps). For use with 2 1/2" I.D. exhaust hose. 20-0086P 90 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 2 1/2" I.D. exhaust hose. 20-0088P 30 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 2 1/2" I.D. exhaust hose. 20-0089P 30 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 3" I.D. exhaust hose. 20-0097 3" spacer block (complete with mounting hardware, gasket and 3/4" pipe plug). Capable of stacking. CC-27-79 Alternator bracket. Use where engin water pump is mounted on the starboard side of the engine. CHV-1-83P Manifold mounting package (includes bolts and pipe plugs). CHV-1-83SS-P Stainless steel manifold mounting	1-0105	
1-0107 Center riser manifold-to-riser gaske (raw water cooling). 20-0082P Riser mounting package for both 20-0082 and 20-0100. 20-0082SS-P Stainless steel mounting package (with brass plugs) for both 20-0082 and 20-0100. Not pictured. 20-0085P Straight exhaust adaptor (includes adaptor, hose and clamps). For use with 2 1/2" I.D. exhaust hose. 20-0086P 90 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 2 1/2" I.D. exhaust hose 20-0088P 30 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 2 1/2" I.D. exhaust hose 20-0089P 30 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 3" I.D. exhaust hose. 20-0097 30 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 3" I.D. exhaust hose. 20-0097 Alternator bracket. Use where engin water pump is mounted on the starboard side of the engine. CHV-1-83P Manifold mounting package (includes bolts and pipe plugs). CHV-1-83SS-P Stainless steel manifold mounting	1-0106P	cooling. Used in pre-heating applications (includes gaskets and block off
20-0082SS-P Stainless steel mounting package (with brass plugs) for both 20-0082 and 20-0100. Not pictured. 20-0085P Straight exhaust adaptor (includes adaptor, hose and clamps). For use with 2 1/2" I.D. exhaust hose. 20-0086P 90 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 2 1/2" I.D. exhaust hose. 20-0088P 30 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 2 1/2" I.D. exhaust hose. 20-0089P 30 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 3" I.D. exhaust hose. 20-0097 3° spacer block (complete with mounting hardware, gasket and 3/4" pipe plug). Capable of stacking. CC-27-79 Alternator bracket. Use where engin water pump is mounted on the starboard side of the engine. CHV-1-83P Manifold mounting package (includes bolts and pipe plugs). Stainless steel manifold mounting	1-0107	Center riser manifold-to-riser gasket
(with brass plugs) for both 20-0082 and 20-0100. Not pictured. 20-0085P Straight exhaust adaptor (includes adaptor, hose and clamps). For use with 2 1/2" I.D. exhaust hose. 20-0086P 90 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 2 1/2" I.D. exhaust hose 20-0088P 30 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 2 1/2" I.D. exhaust hose 20-0089P 30 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 3" I.D. exhaust hose. 20-0097 3" spacer block (complete with mounting hardware, gasket and 3/4" pipe plug). Capable of stacking. CC-27-79 Alternator bracket. Use where engin water pump is mounted on the starboard side of the engine. CHV-1-83P Manifold mounting package (includes bolts and pipe plugs). CHV-1-83SS-P Stainless steel manifold mounting	20-0082P	
20-0085P Straight exhaust adaptor (includes adaptor, hose and clamps). For use with 2 1/2" I.D. exhaust hose. 20-0086P 90 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 2 1/2" I.D. exhaust hose 20-0088P 30 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 2 1/2" I.D. exhaust hose 20-0089P 30 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 3" I.D. exhaust hose. 20-0097 3" spacer block (complete with mounting hardware, gasket and 3/4" pipe plug). Capable of stacking. CC-27-79 Alternator bracket. Use where engin water pump is mounted on the starboard side of the engine. CHV-1-83P Manifold mounting package (includes bolts and pipe plugs). CHV-1-83SS-P Stainless steel manifold mounting	20-0082SS-P	(with brass plugs) for both 20-0082
20-0086P 90 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 2 1/2" I.D. exhaust hose 20-0088P 30 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 2 1/2" I.D. exhaust hose 20-0089P 30 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 3" I.D. exhaust hose. 20-0097 3" spacer block (complete with mounting hardware, gasket and 3/4" pipe plug). Capable of stacking. CC-27-79 Alternator bracket. Use where engin water pump is mounted on the starboard side of the engine. CHV-1-83P Manifold mounting package (includes bolts and pipe plugs). CHV-1-83SS-P Stainless steel manifold mounting	20-0085P	Straight exhaust adaptor (includes adaptor, hose and clamps). For use
(includes adaptor, hose and clamps). For use with 2 1/2" I.D. exhaust hose 20-0089P 30 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 3" I.D. exhaust hose. 20-0097 3" spacer block (complete with mounting hardware, gasket and 3/4" pipe plug). Capable of stacking. CC-27-79 Alternator bracket. Use where engin water pump is mounted on the starboard side of the engine. CHV-1-83P Manifold mounting package (includes bolts and pipe plugs). CHV-1-83SS-P Stainless steel manifold mounting	20-0086P	90 degree exhaust elbow adaptor
(includes adaptor, hose and clamps). For use with 3" I.D. exhaust hose. 20-0097 3" spacer block (complete with mounting hardware, gasket and 3/4" pipe plug). Capable of stacking. CC-27-79 Alternator bracket. Use where engin water pump is mounted on the starboard side of the engine. CHV-1-83P Manifold mounting package (includes bolts and pipe plugs). CHV-1-83SS-P Stainless steel manifold mounting	20-0088P	30 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 2 1/2" I.D. exhaust hose.
mounting hardware, gasket and 3/4" pipe plug). Capable of stacking. CC-27-79 Alternator bracket. Use where engin water pump is mounted on the star- board side of the engine. CHV-1-83P Manifold mounting package (in- cludes bolts and pipe plugs). CHV-1-83SS-P Stainless steel manifold mounting	20-0089P	30 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 3" I.D. exhaust hose.
water pump is mounted on the star- board side of the engine. CHV-1-83P Manifold mounting package (in- cludes bolts and pipe plugs). CHV-1-83SS-P Stainless steel manifold mounting	20-0097	mounting hardware, gasket and 3/4"
cludes bolts and pipe plugs). CHV-1-83SS-P Stainless steel manifold mounting	CC-27-79	
	CHV-1-83P	
brass plugs). Not pictured.	CHV-1-83SS-P	package (includes stainless bolts and
CHV-27-0083 Alternator bracket. Use where engin water pump is mounted on port side of engine below alternator.	CHV-27-0083	Alternator bracket. Use where engine water pump is mounted on port side of engine below alternator.
CHV-47-0000 Manifold to cylinder head gasket.		<u> </u>

Note:

Manifold includes all plugs, gaskets and mounting hardware to head. Risers include plugs, gasket and mounting hardware to mount to manifold.

CHRIS CRAFT V8-454 C.I.D.

ALL MODELS CENTER RISER GENERIC



1 0104P	1 0106P	CHVA 4
Note: Manifold includes hardware to head. mounting hardwan	Risers include plu	ıgs, gasket and

CHANA 1 0 :	Y47 . 1 1 . 1 1 1
CHVA-1-84	Water cooled center discharge mani-
	fold to fit the big block GM engine (3/4" N.P.T. cooling hose con-
	nections). All years.
20-0082	Water cooled center discharge riser
20 0002	(3/4" N.P.T. cooling hose con-
	nection). Standard for use with 3"
	I.D. exhaust hose.
20-0100	Water cooled center discharge riser
	(3/4" N.P.T. cooling hose con-
	nection). Standard for use with 4"
	I.D. exhaust hose.
1-0104P	Adaptor package for fresh water
	cooled manifold (includes gaskets
1.0105	and block off plate).
1-0105	Center riser manifold-to-riser gasket for fresh water cooling.
1-0106P	Adaptor package for raw water
1-01001	cooling. Used in pre-heating applica-
	tions (includes gaskets and block off
	plate with vent hole).
1-0107	Center riser manifold-to-riser gasket
	(raw water cooling).
20-0082P	Riser mounting package for both
	20-0082 and 20-0100.
20-0082SS-P	Stainless steel mounting package
	(with brass plugs) for both 20-0082
20-0084P	and 20-0100. Not pictured. Straight exhaust adaptor (includes
20-0004F	adaptor, hose and clamps). For use
	with 3 1/2" I.D. exhaust hose.
20-0085P	Straight exhaust adaptor (includes
20 00031	adaptor, hose and clamps). For use
	with 2 1/2" I.D. exhaust hose.
20-0086P	90 degree exhaust elbow adaptor
	(includes adaptor, hose and clamps).
	For use with 2 1/2" I.D. exhaust hose.
20-0087P	90 degree exhaust elbow adaptor
	(includes adaptor, hose and clamps).
	For use with 3" I.D. exhaust hose.
20-0088P	30 degree exhaust elbow adaptor
	(includes adaptor, hose and clamps).
	For use with 2 1/2" I.D. exhaust hose.
20-0089P	30 degree exhaust elbow adaptor
	(includes adaptor, hose and clamps).
20.0002D	For use with 3" I.D. exhaust hose.
20-0092P	45 degree exhaust elbow adaptor (includes adaptor, hose and clamps).
	For use with 3" I.D. exhaust hose.
20-0093P	90 degree exhaust elbow adaptor
20 00/01	(includes adaptor, hose and clamps).
	For use with 3 1/2" or 4" I.D. exhaust
	hose.
20-0097	3" spacer block (complete with
	mounting hardware, gasket and 3/4"
	pipe plug). Capable of stacking.
CHVA-1-84P	Manifold mounting package (in-
	cludes bolts and pipe plugs).
CHVA-1-84SS-P	Stainless steel manifold mounting
	package (includes stainless bolts and
CTITIL AR COOR	brass plugs). Not pictured.
CHVA-47-0000	Manifold to cylinder head gasket.

CHRYSLER V8-273, 318, 340, AND 360 C.I.D.

ALL MODELS 1986 AND UP CENTER RISER DIRECT REPLACEMENT



CM 1 4417063



CM-1-4417063	Water cooled center discharge exhaust manifold to fit the small block Chrysler (1/2" N.P.T. cooling hose connections). Used during years 1986 and later.
534005	Generic riser designed to be mounted to the original Chrysler center riser exhaust manifold (for use with 3" I.D. exhaust hose/3/4" N.P.T. cooling hose connection).
534002	Adaptor kit (sold as shown) to fit the original Chrysler center riser exhaust manifold to the Barr style riser (part #534005). Adaptor must be used for Barr style riser.
534004	Riser gasket for raw water cooled manifolds (installed between manifold and adaptor plate).
50-512-018	1/2" N.P.T. X 3/4" hose (straight barb) brass fitting.
50-512-019	3/4" N.P.T. X 3/4" hose (straight barb) brass fitting.
50-525-018	1/2" N.P.T. X 3/4" hose (90 degree) brass fitting
50-525-019	3/4" N.P.T. X 3/4" hose (90 degree) brass fitting.
CM47-4417127	Riser gasket for raw water cooled manifolds (installed between adaptor plate and riser).
CM47-4417232	Riser gasket for fresh water cooled manifolds (installed between manifold and adaptor plate).

Note: Manifold includes all mounting hardware, gaskets and plugs.

















CHRYSLER V8-273, 318, 340, AND 360 C.I.D.

ALL MODELS 1966 AND UP LOG STYLE DIRECT REPLACEMENT



\sim		1	\sim	\sim	_	\sim	
C	M	1	6	h		٠,	_
•	IVI		·····	u		_	_

Note: CM-1-6672A, CM-1-6677A, CM-20-6672, CM-20-6674 and CM-20-2847405 include all mounting hardware, gaskets and plugs. Swivel-style connector packages must be purchased seperate for the corresponding riser/elbows. See next page for part part numbers.

CM-1-6672A	Direct replacement water cooled manifold for model years 1966 to 1972.
CM-1-6677A	Direct replacement water cooled manifold for model years 1973 to 1986.
CM-20-2600402	Exhaust riser lower elbow. Direct replacement for Chrysler part # 2600402.
CM-20-2847405	90 degree exhaust elbow. Direct replacement for Chrysler part #'s 2847405 and 2469639.
CM-20-4142411	Exhaust riser/upper elbow. Direct replacement for Chrysler part #'s 3745639, 2847623, 2487404 and E9233M.
CM-20-6672	Fully jacketed 20 degree exhaust elbow. Accepts 3" I.D. exhaust hose. Direct replacement for Chrysler part # 3527794. Will mount directly to manifold or can be used with riser # CM-20-6674.
CM-20-6674	Fully jacketed exhaust riser. 6" riser protection. Direct replacement for Chrysler part # 2846689.
CM-20-9232	6" exhaust elbow high riser extension. Direct replacement for Chrysler part # E9232M.
CM-1-6672B	Front end plate without the water connector, (1) required per manifold (Chrysler part # 2846106). May require mounting kit # CM-1-6672B-P (shown on next page). Order the appropriate end flanges and fittings according to your requirements.
CM-1-6672C	Adaptor for rear end of manifold. Use with Barr style exhaust risers or elbows, (1) required per manifold.
CM-1-6672E	Copper water distribution tube, (1) required per manifold. Replaces original tube (Chrysler part # 3527781) where used. Will fit both manifold styles.
СМ-1-6672Н	Front end plate with 1/2" N.P.T. water connection. For use where water connection is made from the front of the manifold. Will replace Chrysler part # 3527869, (1) required per manifold. May require mounting kit # CM-1-6672B-P (show on next page). Will fit both manifold styles.
CM-1-6677P	Manifold to cylinder head mounting kit (Order (1) of the appropriate mounting kits according to your requirements).
CM-1-6677SS-P	Stainless steel manifold to cylinder head mounting kit (includes stainless studs, nuts, manifold to head gaskets and brass drain plugs). Not pictured.
CM-20-6672P	Mounting kit for exhaust elbow con- nector for raw water cooled manifold (includes bolts, gasket and pipe plug).

CHRYSLER V8-273, 318, 340, AND 360 C.I.D.

ALL MODELS 1966 AND UP LOG STYLE DIRECT REPLACEMENT



































CM-1-6672D	End flange gasket for raw water cooled manifolds, (2) required per manifold. Replaces Chrysler part # 2847480. Will fit both manifold styles.
CM-1-6672J	End flange gasket for fresh water cooled manifolds, (1) required per exhaust end. Will fit both manifold styles.
CM-1-6672P	Manifold to cylinder head gasket set, (1) required per engine. Replaces Chrysler part # 3745220. Will fit both manifold styles.
CM-20-1947617	Exhaust elbow extension retainer.
CM-20-2600402P	Mounting kit for lower elbow riser (includes bolts, gasket and pipe plugs).
CM-20-2847405P	Mounting kit for exhaust elbow (includes bolts, gasket and pipe plugs).
CM-20-4142411P	Mounting kit for upper riser/elbow (includes sleeve, O-rings, retainers, bolts and pipe plugs).
CM-20-6672J-P	Mounting kit for exhaust elbow connector for fresh water cooled manifold (includes bolts, gasket, and pipe plugs).
CM-20-6674J-P	Mounting kit for exhaust riser for fresh water cooled manifold (includes bolts, gasket and pipe plug).
CM-20-6674P	Mounting kit for raw water cooled manifold (includes bolts, gasket and pipe plugs).
CM-20-9232P	Mounting kit for 6" extension (includes sleeve, O-rings, retainers and bolts).
CM-20-9224	Exhaust to elbow extension retainer sleeve.
CM-20-9225	Exhaust to elbow extension inner seal.
CM-20-9226	Exhaust to elbow extension outer seal.
CM-50-115729	Stainless steel exhaust manifold stud nut.
CM-50-6025923	Stainless steel exhaust manifold stud.



CHRYSLER V8-361, 383, 400, 413, 426 AND 440 C.I.D.

ALL MODELS 1959 AND UP LOG STYLE DIRECT REPLACEMENT

CM-1-5972A

CM-20-9232

CM-20-9234

CM-1-5972B

CM-1-5972C

CM-1-5972D

CM-1-5972P

CM-1-5972SS-P

CM-20-1947617

CM-20-9224

CM-20-9225

CM-20-9226

CM-20-9232P

CM-20-9234P

CM-50-114942

CM-50-6023040

Note:

CM-20-4142411P

CM-1-5972G-P

1-0007

1-0067

CM-20-4142411



CM 1 5972A







CM 20 4142411

CM 20 9232

CM 20 9234







CM 1 5972B

0


CM 1 5972SS P





CM 20 4142411P















CM 50 114942





hardware must be purchased separately.

CM 20 9225 CM 20 1947617

Direct replacement water cooled manifold for big block Chrysler.

Exhaust riser/upper elbow. Direct replacement for Chrysler part #'s 3745639, 2847623, 2847404 and

6" exhaust elbow high riser exten-

Exhaust riser lower elbow. Direct replacement for Chrysler part # E9234M.

tion. Direct replacement for Chrysler

Adaptor for rear end of manifold. Use with Barr style exhaust risers or

2 1/2" N.P.T. threaded exhaust end

Direct replacement front end plate.

Copper water distribution tube. Re-

Manifold to cylinder head mounitng kit (includes bolts, manifold to head gaskets and brass drain plug).

Manifold to cylinder head mounting

Manifold to cylinder head mounting kit (includes stainless steel studs and

nuts, manifold to head gaskets and

Exhaust elbow extension retainer.

Mounting kit for upper riser/elbow (includes sleeve, O-rings, retainers,

Exhaust elbow to extension seal re-

Exhaust elbow to extension inner

Exhaust elbow to extension outer

Mounting kit for 6" extension (includes sleeve, O-rings, clamps and

Mounitng kit for lower elbow riser (includes bolts, gasket and pipe

Stainless steel exhaust manifold stud.

Stainless steel exhaust manifold

End plate gasket, (2) required per

places original tube where used.

E9233M.

part # E9232M.

elbow connectors.

manifold

gasket set.

brass drain plugs).

bolts and pipe plugs).

tainer sleeve.

bolts).

plugs).

Manifold includes gaskets and plugs. Swivel-style connector packages must be purchased seperate for

the corresponding riser/elbows. Manifold mounting

stud nut.

CRUSADER V8-283, 302, 305, 307, 327 AND 350 C.I.D.

ALL MODELS CENTER RISER GENERIC



CHV 183





20 0082







20 0088P





















CHV-1-83	Water cooled center discharge manifold to fit the small block GM engine (3/4" N.P.T. cooling hose connections). All years.
20-0082	Water cooled center discharge riser (3/4" N.P.T. cooling hose connection). Standard for use with 3" I.D. exhaust hose.
20-0100	Water cooled center discharge riser (3/4" N.P.T. cooling hose connection). Standard for use with 4" I.D. exhaust hose.
1-0104P	Adaptor package for fresh water cooled manifold (includes gaskets and block off plate).
1-0105	Center riser manifold-to-riser gasket for fresh water cooling.
1-0106P	Adaptor package for raw water cooling. Used in pre-heating applications (includes gaskets and block off plate with vent hole).
1-0107	Center riser manifold-to-riser gasket (raw water cooling).
20-0082P	Riser mounting package for both 20-0082 and 20-0100.
20-0082SS-P	Stainless steel mounting package (with brass plugs) for both 20-0082 and 20-0100. Not pictured.
20-0085P	Straight exhaust adaptor (includes adaptor, hose and clamps). For use with 2 1/2" I.D. exhaust hose.
20-0086P	90 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 2 1/2" I.D. exhaust hose.
20-0088P	30 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 2 1/2" I.D. exhaust hose.
20-0089P	30 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 3" I.D. exhaust hose.
20-0097	3" spacer block (complete with mounting hardware, gasket and 3/4" pipe plug). Capable of stacking.
CHV-1-83P	Manifold mounting package (includes bolts and pipe plugs).
CHV-1-83SS-P	Stainless steel manifold mounting package (includes stainless bolts and brass plugs). Not pictured.
CHV-27-0083	Alternator bracket. Use where engine water pump is mounted on port side of engine below alternator.
CHV-47-0000	Manifold to cylinder head gasket.

Note

Manifold includes all plugs, gaskets and mounting hardware to head. Risers include plugs, gasket and mounting hardware to mount to manifold.

CRUSADER V8-283, 302, 305, 307, 327 AND 350 C.I.D.

ALL MODELS DIRECT REPLACEMENT



CR-1-97752	Direct replacement starboard side manifold. Replaces Crusader part # 97752.
CR-1-97753	Direct replacement port side manifold. Replaces Crusader part # 97753.
CR-20-96560	Direct replacement exhaust elbow assembly, 3" I.D. exhaust hose. Replaces Crusader part # 96560.
CR-20-97169	8" riser extension. Replaces Crusader part # 97169.
CR-20-97386	90 degree swivel elbow. Replaces Crusader part # 97386.
CR-20-97387	Elbow, lower swivel with 3" outlet. Replaces Crusader part # 97387.
CR-20-97624	Elbow, lower swivel with 4" outlet. Replaces Crusader part # 97624.
CR-20-97772	4" riser extension. Replaces Crusader part # 97772.
CR-20-97924	Direct replacement exhaust elbow assembly, 4" I.D. exhaust hose. Replaces Crusader part # 97924.
CR-20-98068	Direct replacement exhaust elbow assembly, 3" I.D. exhaust hose. For use without Crusader spacer part # 97295. Replaces Crusader part # 98068.
CHV-47-0000	Manifold to cylinder head gasket.
CR-1-97752P	Manifold mounting package. Not pictured.
CR 1 97753P	Manifold mounting package (alternator side of engine). Not pictured.
CR-20-96560P	Mounting package for CR-20-96560, CR-20-97386, CR-20-97924, and CR-20-98068.
CR-20-97169P	Mounting package for CR-20-97169.
CR-20-97296	Stainless steel block off plate for fresh water applications.
CR-20-97772P	Mounting package for CR-20-97772.
CR-20-96319	143 degree thermostat for Crusader. Not pictured.
CR47-C-96108	Replacement exhaust elbow gasket (3 hole).
CR47-C-96562	Replacement exhaust elbow gasket (1 hole).
CR-50-20471	Replaces Crusader part # 20471 (3/8" X 5 3/4" stainless steel stud).
CR-50-22032	Replaces Crusader part # 22032 (3/8" X 9 3/8" stainless steel stud). For use with OEM adaptor # 97295.
CR-50-22033	Replaces Crusader part # 22033 (3/8" X 7 3/4" stainless steel stud).
CR-50-96369	Replaces Crusader part # 96369 (3/8" X 4" stainless steel stud). For use with OEM adaptor # 97295.
CR-20-97295	Crusader Fresh Water Adapter for Log Style Manifolds

CR 50 96369 CR 50 20471

CR 50 22033

CR 50 22032



CR47 C 96562



Note:

Manifolds and elbows include all mounting hardware, gaskets and plugs. CR-20-96169P and CR-20-97772P must be purchased seperate for the corresponding risers.

CRUSADER V8-283, 302, 305, 307, 327 AND 350 C.I.D.


CENTER RISER DIRECT REPLACEMENT



CR 1 98243



CR 20 98126



Note:

Manifold, riser and spacer block include all mounting hardware, gaskets and plugs.



CR-20-29015



CR 20 98128



CR47 C 98127













CRUSADER V8-427 AND 454 C.I.D.

ALL MODELS CENTER RISER GENERIC









20 0089P



20 0092P





20 0093P

Note:

Manifold includes all plugs, gaskets and mounting hardware to head. Risers include plugs, gasket and mounting hardware to mount to manifold.

CHVA-1-84	Water cooled center discharge mani-
C11 VA-1-84	Water cooled center discharge mani- fold to fit the big block GM engine
	(3/4" N.P.T. cooling hose con-
	nections). All years.
20-0082	Water cooled center discharge riser
20-0002	(3/4" N.P.T. cooling hose con-
	nection). Standard for use with 3"
	I.D. exhaust hose.
20-0100	Water cooled center discharge riser
	(3/4" N.P.T. cooling hose con-
	nection). Standard for use with 4"
	I.D. exhaust hose.
1-0104P	Adaptor package for fresh water
	cooled manifold (includes gaskets
	and block off plate).
1-0105	Center riser manifold-to-riser gasket
	for fresh water cooling.
1-0106P	Adaptor package for raw water
	cooling. Used in pre-heating applica-
	tions (includes gaskets and block off
	plate with vent hole).
1-0107	Center riser manifold-to-riser gasket
	(raw water cooling).
20-0082P	Riser mounting package for both
	20-0082 and 20-0100.
20-0082SS-P	Stainless steel mounting package
	(with brass plugs) for both 20-0082
	and 20-0100. Not pictured.
20-0084P	Straight exhaust adaptor (includes
	adaptor, hose and clamps). For use
	with 3 1/2" I.D. exhaust hose.
20-0085P	Straight exhaust adaptor (includes
	adaptor, hose and clamps). For use
	with 2 1/2" I.D. exhaust hose.
20-0086P	90 degree exhaust elbow adaptor
	(includes adaptor, hose and clamps).
	For use with 2 1/2" I.D. exhaust hose.
20-0087P	90 degree exhaust elbow adaptor
20 000/1	(includes adaptor, hose and clamps).
	For use with 3" I.D. exhaust hose.
20-0088P	30 degree exhaust elbow adaptor
00001	(includes adaptor, hose and clamps).
	For use with 2 1/2" I.D. exhaust hose.
20-0089P	30 degree exhaust elbow adaptor
20 00071	(includes adaptor, hose and clamps).
	For use with 3" I.D. exhaust hose.
20-0092P	45 degree exhaust elbow adaptor
20-0092P	45 degree exhaust elbow adaptor (includes adaptor, hose and clamps).
20-0092P	(includes adaptor, hose and clamps).
	(includes adaptor, hose and clamps). For use with 3" I.D. exhaust hose.
20-0092P 20-0093P	(includes adaptor, hose and clamps). For use with 3" I.D. exhaust hose. 90 degree exhaust elbow adaptor
	(includes adaptor, hose and clamps). For use with 3" I.D. exhaust hose. 90 degree exhaust elbow adaptor
	(includes adaptor, hose and clamps). For use with 3" I.D. exhaust hose. 90 degree exhaust elbow adaptor
20-0093P	(includes adaptor, hose and clamps). For use with 3" I.D. exhaust hose. 90 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 3 1/2" or 4" I.D. exhaust hose.
	(includes adaptor, hose and clamps). For use with 3" I.D. exhaust hose. 90 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 3 1/2" or 4" I.D. exhaust hose. 3" spacer block (complete with
20-0093P	(includes adaptor, hose and clamps). For use with 3" I.D. exhaust hose. 90 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 3 1/2" or 4" I.D. exhaust hose. 3" spacer block (complete with mounting hardware, gasket and 3/4"
20-0093P 20-0097	(includes adaptor, hose and clamps). For use with 3" I.D. exhaust hose. 90 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 3 1/2" or 4" I.D. exhaust hose. 3" spacer block (complete with mounting hardware, gasket and 3/4" pipe plug). Capable of stacking.
20-0093P	(includes adaptor, hose and clamps). For use with 3" I.D. exhaust hose. 90 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 3 1/2" or 4" I.D. exhaust hose. 3" spacer block (complete with mounting hardware, gasket and 3/4" pipe plug). Capable of stacking. Manifold mounting package (in-
20-0093P 20-0097 CHVA-1-84P	(includes adaptor, hose and clamps). For use with 3" I.D. exhaust hose. 90 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 3 1/2" or 4" I.D. exhaust hose. 3" spacer block (complete with mounting hardware, gasket and 3/4" pipe plug). Capable of stacking. Manifold mounting package (includes bolts and pipe plugs).
20-0093P 20-0097	(includes adaptor, hose and clamps). For use with 3" I.D. exhaust hose. 90 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 3 1/2" or 4" I.D. exhaust hose. 3" spacer block (complete with mounting hardware, gasket and 3/4" pipe plug). Capable of stacking. Manifold mounting package (includes bolts and pipe plugs). Stainless steel manifold mounting
20-0093P 20-0097 CHVA-1-84P	(includes adaptor, hose and clamps). For use with 3" I.D. exhaust hose. 90 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 3 1/2" or 4" I.D. exhaust hose. 3" spacer block (complete with mounting hardware, gasket and 3/4" pipe plug). Capable of stacking. Manifold mounting package (includes bolts and pipe plugs). Stainless steel manifold mounting package (includes stainless bolts and
20-0093P 20-0097 CHVA-1-84P	(includes adaptor, hose and clamps). For use with 3" I.D. exhaust hose. 90 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 3 1/2" or 4" I.D. exhaust hose. 3" spacer block (complete with mounting hardware, gasket and 3/4" pipe plug). Capable of stacking. Manifold mounting package (includes bolts and pipe plugs). Stainless steel manifold mounting


CRUSADER V8-454 AND 502 C.I.D.

ALL MODELS DIRECT REPLACEMENT



CR-1-97992	Direct replacement starboard side manifold. Replaces Crusader part # 97992.
CR-1-97993	Direct replacement port side manifold. Replaces Crusader part # 97993.
CR-20-96560	Direct replacement exhaust elbow assembly, 3" I.D. exhaust hose. Replaces Crusader part # 96560.
CR-20-97169	8" riser extension. Replaces Crusader part # 97169.
CR-20-97386	90 degree swivel elbow. Replaces Crusader part # 97386.
CR-20-97387	Elbow, lower swivel with 3" outlet. Replaces Crusader part # 97387.
CR-20-97624	Elbow, lower swivel with 4" outlet. Replaces Crusader part # 97624.
CR-20-97772	4" riser extension. Replaces Crusader part # 97772.
CR-20-97924	Direct replacement exhaust elbow assembly, 4" I.D. exhaust hose. Replaces Crusader part # 97924.
CR-20-98068	Direct replacement exhaust elbow assembly, 3" I.D. exhaust hose. For use without Crusader spacer part # 97295. Replaces Crusader part # 98068.
CHVA-47-0000	Manifold to cylinder head gasket.
CR-1-9799P	Manifold mounting package. Not pictured.
CR-20-96560P	Mounting package for CR-20-96560, CR-20-97386, CR-20-97924, and CR-20-98068.
CR-20-97169P	Mounting package for CR-20-97169.
CR-20-97296	Stainless steel block off plate for fresh water applications.
CR-20-97772P	Mounting package for CR-20-97772.
CR-20-96319	143 degree thermostat for Crusader (not pictured).
CR47-C-96108	Replacement exhaust elbow gasket (3 hole).
CR47-C-96562	Replacement exhaust elbow gasket (1 hole).
CR-50-20471	Replaces Crusader part # 20471 3/8" X 5 3/4" stainless steel stud).
CR-50-22032	Replaces Crusader part # 22032 (3/8" X 9 3/8" stainless steel stud). For use with OEM adaptor # 97295.
CR-50-22033	Replaces Crusader part # 22033 (3/8" X 7 3/4" stainless steel stud).
CR-50-96369	Replaces Crusader part # 96369 (3/8" X 4" stainless steel stud). For use with OEM adaptor # 97295.
CR-20-97295	Crusader Fresh Water Adapter for Log Style Manifolds

Note: Manifolds and elbows include all mounting hardware, gaskets and plugs. CR-20-96169P and CR-20-97772P must be purchased seperate for the corresponding risers.



CR 20 96560P





CRUSADER V8-454 AND 502 C.I.D.

ALL MODELS CENTER RISE DIRECT REPLACEMENT



CR-1-98125



CR-20-98126




CR-20-29015



CR-20-98128



CR-20-29015P



Note:

Manifold includes all applicable plugs, mounting hardware and manifold to cylinder head gasket. Riser includes all applicable plugs and mounting hardware only.



CR-20-98124



CR47-C-98127



CR-1-98125P




CR-20-98126P



CR-20-98128P

CRUSADER V8-302 AND 351 C.I.D.

ALL MODELS CENTER RISER GENERIC




Note:	
Manifold includes all plugs, gaskets and mountin	ıg
hardware to head. Risers include plugs, gasket an	ıd
mounting hardware to mount to manifold.	

FM-1-83	Water cooled center discharge mani-
1111 1 00	fold to fit the small block Ford engine
	(3/4" N.P.T. cooling hose con-
	nections). All years.
20-0082	Water cooled center discharge riser
	(3/4" N.P.T. cooling hose connection). Standard for use with 3"
	I.D. exhaust hose.
20-0100	Water cooled center discharge riser
	(3/4" N.P.T. cooling hose con-
	nection). Standard for use with 4"
1 010 ID	I.D. exhaust hose.
1-0104P	Adaptor package for fresh water
	cooled manifold (includes gaskets and block off plate).
1-0105	Center riser manifold-to-riser gasket
	for fresh water cooling.
1-0106P	Adaptor package for raw water
	cooling. Used in pre-heating applica-
	tions (includes gaskets and block off plate with vent hole).
1-0107	Center riser manifold-to-riser gasket
	(raw water cooling).
20-0082P	Riser mounting package for both
	20-0082 and 20-0100.
20-0082SS-P	Stainless steel mounting package
	(with brass plugs) for both 20-0082 and 20-0100. Not pictured.
20-0084P	Straight exhaust adaptor (includes
20 00011	adaptor, hose and clamps). For use
	with 3 1/2" I.D. exhaust hose.
20-0085P	Straight exhaust adaptor (includes
	adaptor, hose and clamps). For use
20.000¢D	with 2 1/2" I.D. exhaust hose.
20-0086P	90 degree exhaust elbow adaptor (includes adaptor, hose and clamps).
	For use with 2 1/2" I.D. exhaust hose.
20-0087P	90 degree exhaust elbow adaptor
	(includes adaptor, hose and clamps).
	For use with 3" I.D. exhaust hose.
20-0088P	30 degree exhaust elbow adaptor
	(includes adaptor, hose and clamps). For use with 2 1/2" I.D. exhaust hose.
20-0089P	30 degree exhaust elbow adaptor
20-00071	(includes adaptor, hose and clamps).
	(includes adaptor, hose and clamps). For use with 3" I.D. exhaust hose.
20-0092P	45 degree exhaust elbow adaptor
	(includes adaptor, hose and clamps).
20.0002B	For use with 3" I.D. exhaust hose.
20-0093P	90 degree exhaust elbow adaptor
	(includes adaptor, hose and clamps). For use with 3 1/2" or 4" I.D. exhaust
	hose.
20-0097	3" spacer block (complete with
	mounting hardware, gasket and 3/4"
	pipe plug). Capable of stacking.
FM-1-83P	Manifold mounting package (in-
EM 1 0200 B	cludes bolts and pipe plugs).
FM-1-83SS-P	Stainless steel manifold mounting package (includes stainless bolts and
	brass plugs). Not pictured.
FM-47-0000	Manifold to cylinder head gasket.
	, <u>c</u>

DETROIT DIESEL 3-71, 6V-71, 4-71, 8V-71, 6-71 AND 12V-71


ALL MODELS DIRECT REPLACEMENT



Barr Marine extends a 1 year warranty on these exhaust manifolds.

FLAGSHIP V8-283, 327 AND 350 C.I.D.

ALL MODELS CENTER RISER GENERIC



1 0107

CHV-1-83	Water cooled center discharge manifold to fit the small block GM engine (3/4" N.P.T. cooling hose connections).
20,0002	nections). All years.
20-0082	Water cooled center discharge riser (3/4" N.P.T. cooling hose connection). Standard for use with 3" I.D. exhaust hose.
20-0100	Water cooled center discharge riser (3/4" N.P.T. cooling hose connection). Standard for use with 4" I.D. exhaust hose.
1-0104P	Adaptor package for fresh water cooled manifold (includes gaskets and block off plate).
1-0105	Center riser manifold-to-riser gasket for fresh water cooling.
1-0106P	Adaptor package for raw water cooling. Used in pre-heating applications (includes gaskets and block off plate with vent hole).
1-0107	Center riser manifold-to-riser gasket (raw water cooling).
20-0082P	Riser mounting package for both 20-0082 and 20-0100.
20-0082SS-P	Stainless steel mounting package (with brass plugs) for both 20-0082 and 20-0100. Not pictured.
20-0085P	Straight exhaust adaptor (includes adaptor, hose and clamps). For use with 2 1/2" I.D. exhaust hose.
20-0086P	90 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 2 1/2" I.D. exhaust hose.
20-0088P	30 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 2 1/2" I.D. exhaust hose.
20-0089P	30 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 3" I.D. exhaust hose.
20-0097	3" spacer block (complete with mounting hardware, gasket and 3/4" pipe plug). Capable of stacking.
CHV-1-83P	Manifold mounting package (includes bolts and pipe plugs).
CHV-1-83SS-P	Stainless steel manifold mounting package (includes stainless bolts and brass plugs). Not pictured.
CHV-27-0083	Alternator bracket. Use where engine water pump is mounted on port side of engine below alternator.
CHV-47-0000	Manifold to cylinder head gasket.

Note

Manifold includes all plugs, gaskets and mounting hardware to head. Risers include plugs, gasket and mounting hardware to mount to manifold.

CHV 47 0000

FLAGSHIP V8-283, 327 AND 350 C.I.D.

LOG STYLE GENERIC

Starboard side part # OF 1 60R







OF-1-60L	Water cooled end discharge port manifold to fit the small block Chev-
	rolet (1/2" N.P.T. cooling hose con-
	nections). All years
OF-1-60R	Water cooled end discharge starboard
	manifold to fit the small block Chev-
	rolet (1/2" N.P.T. cooling hose con- nections). All years
1-0019	End plate gasket (will fit both ends).
20-0000	
	Swivel-type high discharge exhaust riser; 8 1/2" riser protection. Requires
	(1) mounting hardware kit
	#20-0002P per riser. Use only with 2 7/8" to 3" I.D. exhaust hose.
20-0002P	
20-0002P	Mounting hardware kit.
20-0031	Swivel-type 90 degree exhaust elbow connector with internal water dis-
	charge. Accepts 2 1/2" to 3" I.D. ex-
	haust hose. Requires (1) mounting
	hardware kit #20-0002P per elbow.
20-0034 or 20-0035	Exhaust connector #20-0035 (for
	2 1/2" I.D. exhaust hose) or exhaust
	connector #20-0034 (for 3" I.D. exhaust hose). Connects to #20-0039
	using (1) #20-0002P per connector.
20-0039	Fully jacketed swivel-type exhaust
	riser; 7" riser protection. Requires (2)
	mounting hardware kits #20-0002P
	((1) kit to mount riser to manifold
	and (1) kit to mount elbows 20-0034
20-0055	or 20-0035 to riser).
20-0055	Swivel-type 30 degree exhaust elbow
	connector; fully jacketed. Accepts 2 1/2" or 3" I.D. exhaust hose. Re-
	quires (1) mounting hardware kit
	#20-0002P per elbow.
CHV-47-0000	Manifold to cylinder head gasket.
OF-1-60F-P	Manifold to cylinder head mounting
	package.









GRAY MARINE 4 AND 6 CYLINDER IN-LINE MODELS

GENERIC





GR-1-162	Water cooled exhaust manifold to fit the 4-cylinder models 620, 4-60 and 70. Use with OEM risers, elbow connectors or replace with Barr products.
GR-1-175	Water cooled exhaust manifold to fit the 4-cylinder models 4-75, 4-85 and 80. Use with OEM risers, elbow connectors or replace with Barr products.
GR-1-226	Water cooled exhaust manifold to fit the 6-cylinder 226 C.I.D. models. Use with OEM riser, elbow connectors or replace with Barr products.
GR-1-0001	Exhaust end plate flange (threaded for 2" female N.P.T.).



GR 1 226



GRAY MARINE V8-401 C.I.D. 280 H.P.

ALL MODELS DIRECT REPLACEMENT

Port side part # GR-1-6470L



GR 1 6470R





GR-1-6470L	Water cooled exhaust manifold (port side) to fit the 401 Buick. Includes all fittings, hose adaptors and primary water pump mounting provision. Accepts Barr replacement risers and connectors only.
GR-1-6470R	Water cooled exhaust manifold (star- board side) to fit the 401 Buick. In- cludes all fittings, hose adaptors and primary water pump mounting pro- vision. Accepts Barr replacement risers and connectors only.
1-0019	End plate gasket (will fit both ends).
GR-1-6470P	Manifold to cylinder head mounting kit.
20-0000	Swivel-type high discharge exhaust riser; 8 1/2" riser protection. Requires (1) mounting hardware kit #20-0002P per riser. Use only with 2 7/8" to 3" I.D. exhaust hose.
20-0002P	Mounting hardware kit (Barr style riser/elbows only).
20-0031	Swivel-type 90 degree exhaust elbow connector with internal water discharge. Accepts 2 1/2" to 3" I.D. exhaust hose. Requires (1) mounting hardware kit #20-0002P per elbow.
20-0034 or 20-0035	Exhaust connector #20-0035 (for 2 1/2" I.D. exhaust hose) or exhaust connector #20-0034 (for 3" I.D. exhaust hose). Connects to #20-0039 using (1) #20-0002P per connector.
20-0039	Fully jacketed swivel-type exhaust riser; 7" riser protection. Requires (2) mounting hardware kits #20-0002P ((1) kit to mount riser to manifold and (1) kit to mount elbows 20-0034 or 20-0035 to riser).
20-0055	Swivel-type 30 degree exhaust elbow connector; fully jacketed. Accepts 2 1/2" or 3" I.D. exhaust hose. Requires (1) mounting hardware kit #20-0002P per elbow.







INDMAR V8-283, 305, 307, 327 AND 350 C.I.D.

ALL MODELS INBOARD. CENTER RISER GENERIC







20 0082



20 0102


























CHV-1-83	Water cooled center discharge mani-
	fold to fit the small block GM engine (3/4" N.P.T. cooling hose con-
	nections). All years.
20-0082	Water cooled center discharge riser
	(3/4" N.P.T. cooling hose con-
	nection). Standard for use with 3"
20.0100	I.D. exhaust hose.
20-0100	Water cooled center discharge riser (3/4" N.P.T. cooling hose con-
	nection). Standard for use with 4"
	I.D. exhaust hose.
20-0102	Water cooled center discharge riser
	(3/4" N.P.T. cooling hose con-
	nection). Replaces Indmar # 532009.
1-0104P	Adaptor package for fresh water
	cooled manifold (includes gaskets and block off plate).
1-0105	Center riser manifold-to-riser gasket
	for fresh water cooling.
1-0106P	Adaptor package for raw water
	cooling. Used in pre-heating applica-
	tions (includes gaskets and block off
1-0107	plate with vent hole).
1-010/	Center riser manifold-to-riser gasket (raw water cooling).
20-0082P	Riser mounting package for both
	20-0082 and 20-0100.
20-0082SS-P	Stainless steel mounting package
	(with brass plugs) for both 20-0082 and 20-0100. Not pictured.
20-0085P	Straight exhaust adaptor (includes
20 00031	adaptor, hose and clamps). For use
	with 2 1/2" I.D. exhaust hose.
20-0086P	90 degree exhaust elbow adaptor
	(includes adaptor, hose and clamps).
	For use with 2 1/2" I.D. exhaust hose.
20-0088P	30 degree exhaust elbow adaptor
	(includes adaptor, hose and clamps). For use with 2 1/2" I.D. exhaust hose.
20-0089P	30 degree exhaust elbow adaptor
20-00071	(includes adaptor, hose and clamps).
	For use with 3" I.D. exhaust hose.
20-0097	3" spacer block (complete with
	mounting hardware, gasket and 3/4"
CYYYY 4 CAD	pipe plug). Capable of stacking.
CHV-1-83P	Manifold mounting package (in- cludes bolts and pipe plugs).
CHV-1-83SS-P	Stainless steel manifold mounting
	package (includes stainless bolts and
	brass plugs). Not pictured.
CHV-27-0083	Alternator bracket. Use where engine
	water pump is mounted on port side
CHV 47 0000	of engine below alternator.
CHV-47-0000	Manifold to cylinder head gasket.

Note:

Manifold includes all plugs, gaskets and mounting hardware to head. Risers include plugs, gasket and mounting hardware to mount to manifold.



INDMAR V8-427 AND 454 C.I.D. ALL MODELS INBOARD

CENTER RISER GENERIC



Note:
Manifold includes all plugs, gaskets and mounting
hardware to head. Risers include plugs, gasket and
mounting hardware to mount to manifold.

CHVA-1-84	Water cooled center discharge manifold to fit the big block GM engine (3/4" N.P.T. cooling hose con-
	nections). All years.
20-0082	Water cooled center discharge riser (3/4" N.P.T. cooling hose con-
	nection). Standard for use with 3"
20.0100	I.D. exhaust hose.
20-0100	Water cooled center discharge riser (3/4" N.P.T. cooling hose connection). Standard for use with 4"
	I.D. exhaust hose.
1-0104P	Adaptor package for fresh water
2 02022	cooled manifold (includes gaskets and block off plate).
1-0105	Center riser manifold-to-riser gasket for fresh water cooling.
1-0106P	Adaptor package for raw water
	cooling. Used in pre-heating applica- tions (includes gaskets and block off plate with vent hole).
1-0107	
1-010/	Center riser manifold-to-riser gasket (raw water cooling).
20-0082P	Riser mounting package for both 20-0082 and 20-0100.
20-0082SS-P	Stainless steel mounting package
	(with brass plugs) for both 20-0082
20-0084P	and 20-0100. Not pictured.
20-0084P	Straight exhaust adaptor (includes adaptor, hose and clamps). For use with 3 1/2" I.D. exhaust hose.
20-0085P	
20-0083P	Straight exhaust adaptor (includes adaptor, hose and clamps). For use with 2 1/2" I.D. exhaust hose.
20-0086P	90 degree exhaust elbow adaptor
	(includes adaptor, hose and clamps). For use with 2 1/2" I.D. exhaust hose.
20-0087P	90 degree exhaust elbow adaptor
	(includes adaptor, hose and clamps).
20.0000D	For use with 3" I.D. exhaust hose.
20-0088P	30 degree exhaust elbow adaptor (includes adaptor, hose and clamps).
	For use with 2 1/2" I.D. exhaust hose.
20-0089P	30 degree exhaust elbow adaptor
	(includes adaptor, hose and clamps). For use with 3" I.D. exhaust hose.
20-0092P	45 degree exhaust elbow adaptor
	(includes adaptor, hose and clamps).
	For use with 3" I.D. exhaust hose.
20-0093P	90 degree exhaust elbow adaptor
	(includes adaptor, hose and clamps). For use with 3 1/2" or 4" I.D. exhaust
	hose.
20-0097	3" spacer block (complete with
	mounting hardware, gasket and 3/4" pipe plug). Capable of stacking.
CUVA 1 04D	
CHVA-1-84P	Manifold mounting package (in- cludes bolts and pipe plugs).
CHVA-1-84SS-P	Stainless steel manifold mounting
	package (includes stainless bolts and
CIIVA 47 0000	brass plugs). Not pictured.
CHVA-47-0000	Manifold to cylinder head gasket.

INDMAR V8-302 AND 352 C.I.D. ALL MODELS INBOARD

CENTER RISER GENERIC




Note:

Manifold includes all plugs, gaskets and mounting hardware to head. Risers include plugs, gasket and mounting hardware to mount to manifold.

	-
FM-1-83	Water cooled center discharge manifold to fit the small block Ford engine (3/4" N.P.T. cooling hose con-
	nections). All years.
20-0082	Water cooled center discharge riser (3/4" N.P.T. cooling hose connection). Standard for use with 3"
	I.D. exhaust hose.
20-0100	Water cooled center discharge riser (3/4" N.P.T. cooling hose connection). Standard for use with 4"
** ***	I.D. exhaust hose.
20-0102	Water cooled center discharge riser (3/4" N.P.T. cooling hose connection). Replaces Indmar # 532009.
1-0104P	Adaptor package for fresh water cooled manifold (includes gaskets
	and block off plate).
1-0105	Center riser manifold-to-riser gasket for fresh water cooling.
1-0106P	Adaptor package for raw water
	cooling. Used in pre-heating applications (includes gaskets and block off
	plate with vent hole).
1-0107	Center riser manifold-to-riser gasket (raw water cooling).
20-0082P	Riser mounting package for both 20-0082 and 20-0100.
20-0082SS-P	Stainless steel mounting package (with brass plugs) for both 20-0082 and 20-0100. Not pictured.
20-0084P	Straight exhaust adaptor (includes adaptor, hose and clamps). For use
20 000ED	with 3 1/2" I.D. exhaust hose.
20-0085P	Straight exhaust adaptor (includes adaptor, hose and clamps). For use with 2 1/2" I.D. exhaust hose.
20-0086P	90 degree exhaust elbow adaptor
20 00001	(includes adaptor, hose and clamps). For use with 2 1/2" I.D. exhaust hose.
20-0087P	90 degree exhaust elbow adaptor
_0 0071	(includes adaptor, hose and clamps). For use with 3" I.D. exhaust hose.
20-0088P	30 degree exhaust elbow adaptor
	(includes adaptor, hose and clamps). For use with 2 1/2" I.D. exhaust hose.
20-0089P	30 degree exhaust elbow adaptor
	(includes adaptor, hose and clamps). For use with 3" I.D. exhaust hose.
20-0092P	45 degree exhaust elbow adaptor
	(includes adaptor, hose and clamps). For use with 3" I.D. exhaust hose.
20-0093P	90 degree exhaust elbow adaptor
	90 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 3 1/2" or 4" I.D. exhaust hose.
20.0007	
20-0097	3" spacer block (complete with mounting hardware, gasket and 3/4" pipe plug). Capable of stacking.
FM-1-83P	Manifold mounting package (in-
EM 1 9255 D	cludes bolts and pipe plugs).
FM-1-83SS-P	Stainless steel manifold mounting package (includes stainless bolts and brass plugs). Not pictured.
FM-47-0000	Manifold to cylinder head gasket.
1.1 1/ 0000	mannota to comment med gushet.

INTERCEPTOR V8-239, 256, 272, 292, AND 312 C.I.D.

MODELS 125, 135, 150, 170, 185, AND 215 H.P. LOG STYLE GENERIC





INT 1 5457R










-	7.
1	0022

INT-1-5457L	Water cooled exhaust manifold (port side) for the Ford engine. Use with Barr risers and exhaust connectors. The original Interceptor exhaust connectors are not applicable to the Barr manifolds.
INT-1-5457R	Water cooled exhaust manifold (star- board) for the Ford engine. Use with Barr risers and exhaust connectors. The original Interceptor exhaust connectors are not applicable to the Barr manifolds.
1-0022	End plate gasket (will fit both ends).
INT-1-5457P	Manifold to cylinder head mounting kit.
20-0000	Swivel-type high discharge exhaust riser; 8 1/2" riser protection. Requires (1) mounting hardware kit #20-0002P per riser. Use only with 2 7/8" to 3" I.D. exhasut hose.
20-0002P	Mounting hardware kit (Barr style riser/elbows only).
20-0031	Swivel-type 90 degree exhaust elbow connector with internal water discharge. Accepts 2 1/2" to 3" I.D. exhaust hose. Requires (1) mounting hardware kit #20-0002P per elbow.
20-0034 or 20-0035	Exhaust connector #20-0035 (for 2 1/2" I.D. exhaust hose) or exhaust connector #20-0034 (for 3" I.D. exhaust hose). Connects to #20-0039 using (1) #20-0002P per connector.
20-0039	Fully jacketed swivel-type exhaust riser; 7" riser protection. Requires (2) mounting hardware kits #20-0002P ((1) kit to mount riser to manifold and (1) kit to mount elbows 20-0034 or 20-0035 to riser).
20-0055	Swivel-type 30 degree exhaust elbow connector; fully jacketed. Accepts 2 1/2" or 3" I.D. exhaust hose. Requires (1) mounting hardware kit #20-0002P per elbow.

INTERCEPTOR V8-221, 260 AND 289 C.I.D.

MODELS 120, 140, 165, 190, 200 AND 210 H.P. LOG STYLE GENERIC





INT 1 6268R









INT-1-6268L	Water cooled exhaust manifold (port) for the Ford engine. Use with Barr risers and connectors. The original Interceptor exhaust connectors are not applicable to the Barr manifolds.
INT-1-6268R	Water cooled exhaust manfold (star- board for the Ford engine. Use with the Barr risers and connectors. The original Interceptor exhaust con- nectors are not applicable to the Barr manifolds.
1-0022	End plate gasket (will fit both ends).
INT-1-6268P	Manifold to cylinder head mounting kit.
20-0000	Swivel-type high discharge exhaust riser; 8 1/2" riser protection. Requires (1) mounting hardware kit #20-0002P per riser. Use only with 2 7/8" to 3" I.D. exhaust hose.
20-0002P	Mounting hardware kit (Barr style riser/elbows only).
20-0031	Swivel-type 90 degree exhaust elbow connector with internal water discharge. Accepts 2 1/2" to 3" I.D. exhaust hose. Requires (1) mounting hardware kit #20-0002P per elbow.
20-0034 or 20-0035	Exhaust connector #20-0035 (for 2 1/2" I.D. exhaust hose) or exhaust connector #20-0034 (for 3" I.D. exhaust hose). Connects to #20-0039 using (1) #20-0002P per connector.
20-0039	Fully jacketed swivel-type exhaust riser; 7" riser protection. Requires (2) mounting hardware kits #20-0002P ((1) kit to mount riser to manifold and (1) kit to mount elbows 20-0034 or 20-0035 to riser).
20-0055	Swivel-type 30 degree exhaust elbow connector; fully jacketed. Accepts 2 1/2" or 3" I.D. exhaust hose. Requires (1) mounting hardware kit #20-0002P per elbow.





INTERCEPTOR V8-352, 390 AND 427 C.I.D.

MODELS 240, 250, 260, 285, AND 300 H.P. LOG STYLE GENERIC

Port side part # INT 1 58L



INT 1 58R









INT-1-58L	Water cooled exhaust manifold (port) for the Ford engine. Use with Barr risers and connectors. The original Interceptor exhaust connectors are not applicable to the Barr manifolds.
INT-1-58R	Water cooled exhaust manifold (starboard) for the Ford engine. Use with Barr risers and connectors. The original Interceptor exhaust connectors are not applicable to the Barr manifolds.
1-0019	End plate gasket (will fit both ends).
INT-1-58P	Manifold to cylinder head mounting kit.
20-0000	Swivel-type high discharge exhaust riser; 8 1/2" riser protection. Requires (1) mounting hardware kit #20-0002P per riser. Use only with 2 7/8" to 3" I.D. exhasut hose.
20-0002P	Mounting hardware kit (Barr style riser/elbows only).
20-0031	Swivel-type 90 degree exhaust elbow connector with internal water discharge. Accepts 2 1/2" to 3" I.D. exhaust hose. Requires (1) mounting hardware kit #20-0002P per elbow.
20-0034 or 20-0035	Exhaust connector #20-0035 (for 2 1/2" I.D. exhaust hose) or exhaust connector #20-0034 (for 3" I.D. exhaust hose). Connects to #20-0039 using (1) #20-0002P per connector.
20-0039	Fully jacketed swivel-type exhaust riser; 7" riser protection. Requires (2) mounting hardware kits #20-0002P ((1) kit to mount riser to manifold and (1) kit to mount elbows 20-0034 or 20-0035 to riser).
20-0055	Swivel-type 30 degree exhaust elbow connector; fully jacketed. Accepts 2 1/2" or 3" I.D. exhaust hose. Requires (1) mounting hardware kit #20-0002P per elbow.



INTERCEPTOR V8-221, 260, 289, 302 AND 351 C.I.D.

ALL MODELS CENTER RISER GENERIC



74.7		
131	$\alpha \tau$	n.

Manifold includes all plugs, gaskets and mounting hardware to head. Risers include plugs, gasket and mounting hardware to mount to manifold.

FM-1-83	Water cooled center discharge mani-
	fold to fit the small block Ford engine
	(3/4" N.P.T. cooling hose con-
	nections). All years.
20-0082	Water cooled center discharge riser
	(3/4" N.P.T. cooling hose con-
	nection). Standard for use with 3"
	I.D. exhaust hose.
20-0100	Water cooled center discharge riser
	(3/4" N.P.T. cooling hose con-
	nection). Standard for use with 4"
1-0104P	I.D. exhaust hose.
1-0104P	Adaptor package for fresh water
	cooled manifold (includes gaskets and block off plate).
1-0105	
1-0105	Center riser manifold-to-riser gasket for fresh water cooling.
1-0106P	Adaptor package for raw water
1 01001	cooling. Used in pre-heating applica-
	tions (includes gaskets and block off
	plate with vent hole).
1-0107	Center riser manifold-to-riser gasket
	(raw water cooling).
20-0082P	Riser mounting package for both
	20-0082 and 20-0100.
20-0082SS-P	Stainless steel mounting package
	(with brass plugs) for both 20-0082
	and 20-0100. Not pictured.
20-0084P	Straight exhaust adaptor (includes
	adaptor, hose and clamps). For use
	with 3 1/2" I.D. exhaust hose.
20-0085P	Straight exhaust adaptor (includes
	adaptor, hose and clamps). For use
	with 2 1/2" I.D. exhaust hose.
20-0086P	90 degree exhaust elbow adaptor
	(includes adaptor, hose and clamps).
	For use with 2 1/2" I.D. exhaust hose.
20-0087P	90 degree exhaust elbow adaptor
	(includes adaptor, hose and clamps).
	For use with 3" I.D. exhaust hose.
20-0088P	30 degree exhaust elbow adaptor
	(includes adaptor, hose and clamps).
	For use with 2 1/2" I.D. exhaust hose.
20-0089P	30 degree exhaust elbow adaptor
	(includes adaptor, hose and clamps).
*******	For use with 3" I.D. exhaust hose.
20-0092P	45 degree exhaust elbow adaptor
	(includes adaptor, hose and clamps).
20 0002D	For use with 3" I.D. exhaust hose.
20-0093P	90 degree exhaust elbow adaptor
	(includes adaptor, hose and clamps). For use with 3 1/2" or 4" I.D. exhaust
	hose.
20.0007	
20-0097	3" spacer block (complete with
	mounting hardware, gasket and 3/4"
EM 1 02D	pipe plug). Capable of stacking.
FM-1-83P	Manifold mounting package (in-
TM 1 0200 P	cludes bolts and pipe plugs).
FM-1-83SS-P	Stainless steel manifold mounting
	package (includes stainless bolts and
EM 47 0000	brass plugs). Not pictured.
FM-47-0000	Manifold to cylinder head gasket.

MERCRUISER 4 CYLINDER 153 C.I.D. 120 H.P.

MODEL 120 ENGINE

LOG STYLE DIRECT REPLACEMENT

Direct replacement water cooled exhaust manifold. Replaces Mer-Cruiser part # B-63122A1.

Direct replacement exhaust elbow/ riser. Replaces MerCruiser part # B-39920 and # B-55538A2.

Riser to exhaust manifold mounting

Direct replacement exhaust manifold end cap/connector (front). Replaces MerCruiser part # B-47638.

Exhaust manifold end cap/connector

Direct replacement exhaust manifold

Exhaust manifold end cap (rear)

Intake manifold mounting package.

Exhaust manifold mounting package.

Direct replacement lower thermostat

Direct replacement upper thermostat

Thermostat kit (includes gasket and

Direct replacement intake manifold

Direct replacement exhaust manifold

Direct replacement exhaust manifold

Direct replacement exhaust manifold

Direct replacement exhaust manifold

Exhaust manifold gasket set.

to exhaust elbow gasket.

end cap/connector gasket.

to cylinder head gasket.

(front) mounting package.

Choke oven cover assembly. Not

package.

pictured.

end cap (rear).

housing.

housing.

thermostat).

end cap gasket.

mounting package.

MC-1-63122

MC-20-55538

MC-20-55538P

1-39949P

1-47638

1-47638P

1-73811

1-73811P

MC-1-35898P

MC-1-63122P

MC-29-47587

MC-29-60372

MC47-475KIT

MC47-27-35898

MC47-27-39915

MC47-27-39917

MC47-27-39923

MC47-27-35898A4



MC 1 63122







MC 20 55538







MC47 27 35898



























MERCRUISER 4 CYLINDER 181 C.I.D. 120 H.P.

MODEL 140 ENGINE

LOG STYLE DIRECT REPLACEMENT



MC 1 52390





MC 20 60426

MC 20 61851A3







MC 29 47587

MC 29 60372

MC47 475KIT







MC 20 60426P

1 54870/73813 1 6

1 60252













MC 20 60207 MC 20 55730 MC47 27 53354A1





MC47 27 73814 MC47 27 999777-3



MC-1-52390	Direct replacement water cooled exhaust manifold. Replaces Mer-Cruiser part # B-52390A1. For serial # 3332138 and up.
MC-20-60426	Direct replacement exhaust elbow riser (utilizes a stainless steel sleeve at the water/air mixing area). Replaces MerCruiser part #B-60426A1.
MC-20-76351	Direct replacement exhaust elbow riser. Replaces MerCruiser part # B-76351A1. Not pictured.
1-54870	Direct replacement exhaust manifold rear end cap. Serial # 4481625 and below.
1-54870P	Rear end cap mounting package.
1-60252	Direct replacement exhaust manifold end cap/connector. Replaces Mer-Cruiser part # B-60252.
1-60252P	Front end plate mounting package.
1-73813	Direct replacement exhaust manifold rear end cap. Serial # 4481625 and up.
MC-1-52390P	Exhaust manifold mounting package.
MC-20-55730	Stainless steel fresh water cooling block off plate for use with Mer-Cruiser riser #'s 60426, 76351 and 76771. Requires (2) gaskets part # MC47-27-52076.
MC-20-60207	Stainless steel block off plate (with vent hole) for use with MerCruiser riser #'s 60426, 76351 and 76771. Requires (2) gaskets part # MC47-27-52076. Used in pre-heating plumbing systems.
MC-20-60426P	Exhaust riser elbow mounting package. For use with both MC-20-60426 and MC-20-76351 risers.
MC-20-61851A3	Manifold to riser 3" spacer (single block). Includes all mounting hardware, gaskets and drain plug.
MC-29-47587	Lower thermostat housing.
MC-29-60372	Upper thermostat housing.
MC47-475KIT	Thermostat kit (includes gasket and thermostat).
MC47-27-48043	Direct replacement exhaust manifold end cap/connector gasket (will fit both ends).
MC47-27-52076	Direct replacement exhaust elbow to exhaust manifold gasket.
MC47-27-53354	Direct replacement exhaust manifold to cylinder head gasket.
MC47-27-53354A1	Exhaust manifold gasket set.
MC47-27-73814	Direct replacement exhaust manifold end cap gasket. Utilized with 1-73813 rear end cap.

Note:

MERCRUISER 4 CYL. 153 & 181 C.I.D. 120 H.P. (2.5L), 140 H.P. (3.0L)

MODEL 120 R AND 140R-MP/ALPHA 1 ENGINE

LOG STYLE DIRECT REPLACEMENT









MC 20 12076

MC 20 76325

MC 20 61851A3







MC 29 47587





MC 20 12076P















NG 1 050C2	D: 1 1 1 1 1 1
MC-1-95862	Direct replacement water cooled manifold (Rochester (3 1/4" X 1 7/8")
	bolt pattern). 6 bolt mounting. Re-
	places MerCruiser part # 95862A9
	(no choke stove).
MC-1-96705	Direct replacement water cooled
	manifold (Rochester (3 1/4" X 1 7/8")
	bolt pattern). 6 bolt mounting. Re-
	places MerCruiser part # 96705A1.
MC-1-99798	Direct replacement water cooled
	manifold (MerCarb (3 11/16" X 2")
	bolt pattern). 6 bolt mounting. Re-
	places MerCruiser part # 99798A9.
MC-20-12076	Direct replacement exhaust riser. Re-
	places MerCruiser part # 12076A2.
MC-20-76325	Direct replacement exhaust riser. Re-
	places MerCruiser part # 76325A2.
1-60252	Direct replacement exhaust manifold
	end cap/connector. Replaces Mer-
	Cruiser part # B-60252.
1-60252P	Front end plate mounting package.
1-99197	Direct replacement exhaust manifold
	rear end cap/lifting eye.
1-99179P	Rear end cap mounting package.
MC-1-99798P	Exhaust manifold to cylinder head
	mounting package.
MC-20-12076	P/Riser mounting package
MC-20-61851A3	Manifold to riser 3" spacer (single
	block). Includes all mounting hard-
	ware, gaskets and drain plug.
MC-29-47587	Lower thermostat housing.
MC-29-60372	Upper thermostat housing.
MC47-475KIT	Thermostat kit (includes gasket and
	thermostat).
MC47-27-48043	Direct replacement exhaust manifold
	end cap/connector gasket (will fit
	both ends).
MC47-27-73814	Direct replacement exhaust manifold
	end cap gasket. Utilized with 1-73813
	rear end cap.
MC47-27-96429	Direct replacement exhaust manifold
	to cylinder head gasket.
MC47-27-99777-3	Direct replacement exhaust elbow to
	manifold gasket. Supersedes Mer-
	Cruiser part # 27-52076.
MC47-27-99777A1	Exhaust manifold gasket set.
-	

Note:





MERCRUISER 4 CYLINDER 181 C.I.D. 140 H.P. 3.0L & 3.0LX MODELS

ALL MODELS 1990 AND UP (VORTEC STYLE HEAD)

LOG STYLE DIRECT REPLACEMENT

860235A04.

Direct replacement exhaust manifold. Replaces MerCruiser part #

Direct replacement exhaust riser. Replaces MerCruiser part # 12076A2.

3/8"-16 X 3/4" Hex Head Cap Screw

Replacement exhaust riser to manifold gasket. Supersedes MerCruiser part # 27-52076 and 27-99777.

Replacement carburetor to intake/ exhaust manifold gasket.

Replacement cylinder head to exhaust

Replacement 3/8"-16 X 4 5/8" screw.

Replacement 3/8" X 5 3/8" stud.

Replacement reducer bushing, 3/4"

Replacement 90 degree adaptor

Replacement cooling water hose,

Exhaust riser mounting kit.

(for mounting lifting eye).

manifold gasket.

Replacement nut.

Replacement washer.

Lifting eye.

Drain plug.

to 3/8".

assembly.

Fitting, 3/4" N.P.T. X 1" hose.



MC 1860235





MC 20 12076

MC47 27 99777-3







MC 20 12076P

MC 50 22 845175 50 170 207







MC 50 22 862065

MC47 27 807982

MC 50 11 24883

Note:

MC 1 860235

MC 20 12076

MC 20 12076P

MC47 27 99777-3

MC47 27 807982

MC47 27 815528

MC 50 865549

MC 50 10 53728

MC 50 10 806300

MC 50 11 24883

MC 50 12 20553

MC 50 22 806608

MC 50 22 845175

MC 50 22 862065

MC 50 23 861634

50 170 207

50 512 020








MC 50 22 806608 MC 50 12 20553












MERCRUISER STRAIGHT 6 CYLINDER MODEL 165

LOG STYLE DIRECT REPLACEMENT



MC-1-58759	Direct replacement water cooled manifold to fit the 6 cyl. GM (Model 165) engine. Replaces MerCruiser part # B-58759A1.
MC-20-60426	Direct replacement exhaust elbow riser (utilizes a stainless steel sleeve at the water/air mixing area). Replaces MerCruiser part #B-60426A1.
MC-20-76351	Direct replacement exhaust elbow riser. Replaces MerCruiser part # B-76351A1. Not pictured.
1-54870	Direct replacement exhaust manifold end cap (rear). Superseded by part # 1-73813.
1-54870P	Exhaust manifold end cap (rear) mounting package.
1-60252	Direct replacement exhaust manifold end cap/connector (front). Replaces MerCruiser part # B-60252.
1-60252P	Exhaust manifold end cap/connector mounting package.
1-73813	Direct replacement manifold end cap (rear). Supercedes part # 1-54870.
1-71813P	Exhaust manifold end cap mounting package.
MC-1-58759P	Exhaust manifold mounting package.
MC-1-58764P	Manifold to carburetor adaptor mounting package.
MC-20-55730	Stainless steel fresh water cooling block off plate for use with Mer- Cruiser riser #'s 60426, 76351 and 76771. Requires (2) gaskets part # MC47-27-99777.
MC-20-60207	Stainless steel block off plate (with vent hole) for use with MerCruiser riser #'s 60426, 76351 and 76771. Requires (2) gaskets part # MC47-27-99777. Used in pre-heating plumbing systems.
MC-20-60426P	Exhaust riser elbow mounting package. For use with both MC-20-60426 and MC-20-76351 risers.
MC-20-61851A3	Manifold to riser 3" spacer (single block). Includes all mounting hardware, gaskets and drain plug.
MC-29-47587	Lower thermostat housing.
MC-29-60372	Upper thermostat housing.
MC47-475KIT	Thermostat kit (includes gasket and thermostat).
MC47-27-46401	Direct replacement manifold to head gasket.
MC47-27-46401A1	Exhaust manifold gasket set.
MC47-27-48043	Direct replacement exhaust manifold end cap/connector gasket (will fit both ends).
MC47-27-58764	Direct replacement manifold to carburetor adaptor gasket.
MC47-27-73814	Direct replacement exhaust manifold end cap gasket. Utilized with 1-73814 rear end cap.
MC47-27-99777 - 3	Direct replacement exhaust elbow to manifold gasket. Supersedes Mer-Cruiser part # 27-52076.

Note:

MERCRUISER V6-229 C.I.D. AND 262 C.I.D.

MODELS 185R, 185MR, 205R AND 205 MR

CENTER RISER DIRECT REPLACEMENT



MC 1 99746





MC 20 44354

MC 20 98504





MC 20 93322A3

MC 20 93320A3











MC 50 87238









MC 20 98504P







MC-1-99746	Direct replacement water cooled exhaust manifold. Replaces Mer-Cruiser part # 99746A3 or part # 99746A8.
MC-20-44354	Direct replacement water cooled center discharge riser. Replaces Mer- Cruiser part # B-44354A3. Accepts 4" I.D. exhaust hose (8 degree angle).
MC-20-98504	Direct replacement water cooled center discharge riser. Replaces Mer-Cruiser part #98504A3. Accepts 3" I.D. exhaust hose (15 degree angle).
MC-20-44354P	Mounting package for MC-20-44354 riser.
MC-20-87918	Direct replacement stainless steel block off plate for use with Mer- Cruiser riser #'s 98502, 98504 and 44354. Requires (2) gaskets part # MC47-27-41813.
MC-20-93320A3	Manifold to riser 3" spacer blocks (pair) with fastener and gasket package.
MC-20-93322A3	Manifold to riser 6" spacer blocks (pair) with fastener and gasket package.
MC-20-98504P	Mounting package for MC-20-98504 riser (includes gaskets, drain plug, pipe plug, stainless steel restrictor plate and fasteners).
MC-20-99208	Direct replacement stainless steel restrictor plate for use with Mer- Cruiser riser #'s 98502, 98504 and 44354. Requires (2) gaskets part # MC47-27-41813.
MC-27-93175	Alternator bracket.
MC47-27-41811	Direct replacement restrictor gasket. Replaces MerCruiser part # 27-41811. To be used with MC-20-87918 ((2) required per plate used).
MC47-27-41813	Direct replacement restrictor gasket. Replaces MerCruiser part # 41813.
MC47-27-87105	Direct replacement exhaust elbow gasket. Replaces MerCruiser part # 27-87105.
MC47-27-99757	Direct replacement manifold to head gasket.
MC-50-87238	Exhaust manifold drain cock.
MC-50-806926	Replacement 3/4" N.P.T. X 1" hose fitting (90 degree)/brass drain cock.

Notes

Manifold includes all plugs, gaskets and mounting hardware to head. Risers include plugs, gasket and mounting hardware to mount to manifold.

When converting a 1 piece manifold/riser to a 2 piece system use Manifold MC-1-99746 and exhaust elbow MC-20-44354 (pictured here) with the following pieces (shown on page 56) MC-20-11478, MC-20-32-14358 & MC-20-32-44348.

MERCRUISER V6-4.3L "DRY JOINT" EXHAUST

ALL MODELS CARBURETED, MPI, INBOARD, ALPHS AND BRAVO STERN DRIVES CENTER RISER DIRECT REPLACEMENT

MC-1-864612

MC-20-864591

MC-1-864612P

MC-20-864591

MC47-27-864850

MC47-27-864547

MC47-27-864549



MC-1-864612





MC 20 864591

MC 20 864309






MC47 27 864547

MC47 27 864549





MC47 27 864850

50 170 248



50-170-248

50-170-275

MC-20-864309

Manifold includes all applicable plugs, mounting hardware and manifold to cylinder head gasket. Riser includes all applicable plugs and mounting hardware only.

Direct replacement exhaust manifold. Replaces MerCruiser part #

Exhaust manifold mounting package. Riser gasket sold seperately. Purchase

Exhaust riser mounting package. Includes restrictor gasket for raw water

Direct replacement restrictor gasket. Replaces MerCruiser part #

864850A02. Please refer to OEM Information for proper installation pro-

Direct replacement restrictor gasket. Replaces MerCruiser part # 864547A02. Please refer to OEM Inf-

ormation for proper installation pro-

Direct replacement restrictor gasket. Replaces MerCruiser part # 864549A02. Please refer to OEM Inf-

ormation for proper installation pro-

Direct replacement restrictor gasket. Replaces MerCruiser part # 864549A02. Please refer to OEM Information for proper installation pro-

Replacement manifold bolts (to be used with lock washer. 3/8"-16X4.75'

Replacement manifold bolts (to be used with lock washer. 3/8"-16X7.50"

Direct replacement exhaust riser/elbow. Replaces MerCruiser part # 864309T01. Riser will replace the equivalent part number on 4.3L Models as well.

correct gaskets as needed.

cooled applications.

Direct replacement exhaust riser/ elbow. Replaces MerCruiser part #

864612T01

864591T02

cedures.

cedures.



MC47 27 99757

Always use correct riser gasket for your application. Please refer to the correct guide to install gaskets correctly.

Note:

Improperly installed gasket, leaks or damage caused by either are not covered by your Barr Marine Warranty! Gaskets are not subject to exchange or refund under any circumstances.




MC 20 864591P

MC-1-864612P

MERCRUISER V8-4.3L, 5.0L, 5.7L AND 6.2L "DRY JOINT" SPACERS

ALL MODELS CARBUERETED, MPI, INBOARD, ALPHA AND BRAVO STERN DRIVES CENTER RISER DIRECT REPLACEMENT




Note: Always use correct riser gasket for your application. Please refer to the correct guide to install gaskets correctly.

Note: Improperly installed gasket, leaks or damage caused by either are not covered by your Barr Marine warranty! Gaskets are not subject to exchange or refund under any circumstances.

MERCRUISERV8-4.3L, 5.0L, 5.7L AND 6.2L "DRY JOINT" SPACERS

ALL MODELS CARBURETED, MPI, INBOARD, ALPHA, AND BRAVO STERN DRIVES
CENTER RISER DIRECT REPLACEMENT



MC 20 865996A3

Direct Replacement 1.7 In. Spacer Kit MC-20-865996A3 Replaces MerCruiser #865995A01 Kit includes 1 Pair of Spacers with mounting hardware and gaskets for raw water cooled applications. Need to purchase additional block of gaskets for close cooled applications. Sold as shown. MC-20-865996A3P 1.7 inch spacer mounting package. Includes all items less the spacer and brackets. Not Shown Separate. MC47-27-864547 Direct replacement full flow gasket. Please refer to OEM information for proper installation procedures. Direct replacement restrictor gasket. MC47-27-864850 Please refer to OEM information for proper installation procedures. 50-170-292 Replacement mounting bolts (to be used with 3/8" lockwashers). Dimensions of bolt is 3/8"-16 x 9 1/4"

Note: Always use correct riser gasket for your application. Please refer to the correct guide to install gaskets correctly.

Note: Improperly installed gasket, leaks or damage caused by either are not covered by your Barr Marine warranty! Gaskets are not subject to exchange or refund under any circumstances.

MERCRUISER V8-5.0L, 5.7L AND 6.2L "DRY JOINT" EXHAUST

ALL MODELS CARBURETED, MPI, INBOARD, ALPHA, AND BRAVO STERN DRIVES
CENTER RISER DIRECT REPLACEMENT



MC 1 865735





MC 20 864309

MC 20 864591





MC47 27 864547

MC47 27 864549





MC47 27 864850

MC 1865735P






MC 20 864591P

MC 20 864309P





50 170 257

MC-1-865735	Direct replacement exhaust manifold. Replaces MerCruiser part # 865735A02.
MC-20-864309	Direct replacement exhaust manifold. Replaces MerCruiser part # 864309T01. Riser will replace the equivalent part number on 4.3L. Models as well.
MC-20-864591	Direct replacement exhaust riser/elbow. Replaces MerCruiser part # 864591T02. Riser will replace the equivalent part number on 4.3L Models as well.
MC-1-864735P	Exhaust manifold mounting package. Purchase riser gasket as needed.
MC-20-864309P	Exhaust riser mounting package. Includes restrictor gasket for raw water applications.
MC-20-864591P	Exhaust riser mounting package. Includes restrictor gasket for raw water applications.
MC-47-27-864850	Direct replacement ristrictor gasket. Replaces MerCruiser part # 864850A02. Please refer to supplied directions or OEM information for proper installation procedures
MC-47-27-864547	Direct replacement ristrictor gasket. Replaces MerCruiser part # 864547A02. Please refer to supplied directions or OEM information for proper installation procedures.
MC-47-27-864549	Direct replacement ristrictor gasket. Replaces MerCruiser part # 864549A02 Please refer to supplied directions or OEM information for proper installation procedures.
CHV-47-0000	Exhaust manifold to cylinder head gasket.
50-170-248	Replacement manifold mounting bolts. Replaces MerCruiser part # 832000299 (to be used with 3/8" lockwasher). Dimensions of bolt is 3/8" - 16 X 4.75".
50-170-257	Replacement riser mounting bolt. Replaces MerCruiser part # 43749 (to be used with 3/8" lockwasher). Dimensions of bolt is 3/8" - 16 X 5.750"
50-170-275	Replacement riser mounting bolt. Replaces MerCruiser part #865982057 (to be used with 3/8" lock washer). Dimensions of bolt is 3/8" - 16 X 7.50"

Note

Manifold includes all applicable plugs, mounting hardware and manifold to cylinder head gasket. Riser includes all applicable plugs and mounting hardware only.

50 170 275

Note: Always use correct riser gasket for your application. Please refer to the correct guide to install gaskets correctly.


Note: Improperly installed gasket, leaks or damage caused by either are not covered by your Barr Marine warranty! Gaskets are not subject to exchange or refund under any circumstances.

MERCRUISER V8-283, 302, 305, 307, 327 AND 350 C.I.D.

ALL MODELS CENTER RISER GENERIC

CHV-1-83

20-0082



	1.D. exnaust nose.
20-0100	Water cooled center discharge riser
	(3/4" N.P.T. cooling hose con-
	nection). Standard for use with 4"
	I.D. exhaust hose.
1-0104P	Adaptor package for fresh water
	cooled manifold (includes gaskets
	and block off plate).
1-0105	Center riser manifold-to-riser gasket
	for fresh water cooling.
1-0106P	Adaptor package for raw water
	cooling. Used in pre-heating applica-
	tions (includes gaskets and block off
	plate with vent hole).
1-0107	Center riser manifold-to-riser gasket
1 0107	(raw water cooling).
20-0082P	Riser mounting package for both
20 00021	20-0082 and 20-0100.
20-0082SS-P	
20-008233-1	Stainless steel mounting package (with brass plugs) for both 20-0082
	and 20-0100. Not pictured.
20-0084P	Straight exhaust adaptor (includes
20-00841	adaptor, hose and clamps). For use
	with 3 1/2" I.D. exhaust hose.
20-0085P	Straight exhaust adaptor (includes
20 00031	adaptor, hose and clamps). For use
	with 2 1/2" I.D. exhaust hose.
20-0086P	90 degree exhaust elbow adaptor for
20 00001	I/O applications (includes adaptor,
	hose and clamps). For use with 2 1/2"
	I.D. exhaust hose.
20-0087P	90 degree exhaust elbow adaptor
	(includes adaptor, hose and clamps).
	For use with 3" I.D. exhaust hose.
20-0088P	30 degree exhaust elbow adaptor
	(includes adaptor, hose and clamps).
	For use with 2 1/2" I.D. exhaust hose.
20-0089P	30 degree exhaust elbow adaptor
	(includes adaptor, hose and clamps).
	For use with 3" I.D. exhaust hose.
20-0092P	45 degree exhaust elbow adaptor
	(includes adaptor, hose and clamps). For use with 3" I.D. exhaust hose.
20-0093P	90 degree exhaust elbow adaptor
	(includes adaptor, hose and clamps).
	(includes adaptor, hose and clamps). For use with 3 1/2" or 4" I.D. exhaust
	hose.
20-0097	3" spacer block (complete with
	mounting hardware, gasket and 3/4"
	pipe plug). Capable of stacking.
CHV-1-83P	Manifold mounting package (in-
	cludes bolts and pipe plugs).
CHV-1-83SS-P	Stainless steel manifold mounting
	package (includes stainless bolts and
	brass plugs). Not pictured.
CHV-27-0083	Alternator bracket. Use where engine
	water pump is mounted on port side
	of engine below alternator.
MC-45-0002	Fuel filter/solenoid bracket.
CHV-47-0000	Manifold to cylinder head gasket.

Water cooled center discharge manifold to fit the small block GM engine (3/4" N.P.T. cooling hose connections). All years.

Water cooled center discharge riser (3/4" N.P.T. cooling hose connection). Standard for use with 3"

I.D. exhaust hose.

Note:

MERCRUISER V8-198, 228, 255, 260 AND 898

INBOARD AND STERN DRIVE UNITS

LOG STYLE DIRECT REPLACEMENT



MC-1-77234	Direct replacement water cooled exhaust manifold (port side). Replaces MerCruiser part # B-77234A2.
MC-1-77235	Direct replacement water cooled exhaust manifold (starboard side). Replaces MerCruiser part # B-77235A2.
MC-20-60426	Direct replacement exhaust elbow
	riser (utilizes a stainless steel sleeve at the water/air mixing area). Re- places MerCruiser part #B-60426A1 (I/O applications).
MC-20-76351	Direct replacement exhaust elbow riser. Replaces MerCruiser part # B-76351A1(I/O applications). Not pictured.
MC-20-76771	Direct replacement exhaust elbow riser. Replaces MerCruiser part # B-76771A3 (inboard applications).
1-60252	Direct replacement exhaust manifold end cap/connector. Replaces Mer- Cruiser part # B-60252.
1-60252P	Front end plate mounting package.
1-73813	Direct replacement manifold end cap (rear). Supercedes part # 1-54870.
1-73813P	Rear end cap mounting package.
MC-1-7723P	Riser mounting stud package.
MC-1-77234P	Manifold mounting package.
MC-1-7723D	Riser mounting package.
MC-20-55730	Stainless steel fresh water cooling block off plate for use with Mer-Cruiser riser #'s 60426, 76351 and 76771. Requires (2) gaskets part # MC47-27-99777.
MC-20-60207	Stainless steel block off plate (with vent hole) for use with MerCruiser riser #'s 60426, 76351 and 76771. Requires (2) gaskets part # MC47-27-99777. Used in pre-heating plumbing systems.
MC-20-60426P	Exhaust riser elbow mounting package. For use with both MC-20-60426 and MC-20-76351 risers.
MC-20-61851A2	Manifold to riser 3" spacers (sold in pairs). Includes all mounting hardware, gaskets and drain plugs.
MC-27-48104	Alternator mounting bracket.
MC-29-47441	Upper thermostat housing.
MC-29-78984	Lower thermostat housing.
MC47-488KIT	Thermostat kit (includes gasket and thermostat).
MC47-27-33395	Direct replacement exhaust manifold to head gasket.
MC47-27-33395A2	Exhaust manifold gasket set.
MC47-27-48043	Direct replacement exhaust manifold end cap/connector gasket (will fit both ends).
MC47-27-99777-3	Direct replacement exhaust elbow to manifold gasket. Supersedes Mer- Cruiser part # 27-52076.

Note:









MERCRUISER V8 MODELS, 898R, 228R AND 260R

CENTER RISER DIRECT REPLACEMENT



MC 187114





MC 20 44354

MC 20 98504





MC 20 98502

MC 20 93320A3







MC 20 93322A3

MC 29 47441

MC 29 87290









MC 50 806926

MC 50 87238

MC 20 44354P





AC47 27 971

MC47 27 87105

MC-1-87114	Direct replacement water cooled exhaust manifold. Replaces Mer- Cruiser part # 87114A8, 87114A19 and #860246A10.
MC-20-44354	Direct replacement water cooled center discharge riser. Replaces Mer- Cruiser part # B-44354A3. Accepts 4" I.D. exhaust hose (8 degree angle).
MC-20-98502	Direct replacement water cooled center discharge riser. Replaces Mer- Cruiser part #98502A2. Accepts 3" I.D. exhaust hose (0 degree angle).
MC-20-98504	Direct replacement water cooled center discharge riser. Replaces Mer- Cruiser part #98504A3. Accepts 3" I.D. exhaust hose (15 degree angle).
MC-20-44354P	Mounting package for MC-20-44354 riser.
MC-20-87918	Direct replacement stainless steel block off plate for use with Mer- Cruiser riser #'s 98502, 98504 and 44354. Requires (2) gaskets part # MC47-27-41813.
MC-20-93320A3	Manifold to riser 3" spacer blocks (pair) with fastener and gasket package.
MC-20-93322A3	Manifold to riser 6" spacer blocks (pair) with fastener and gasket package.
MC-20-98504P	Mounting package for MC-20-98504 riser (includes gaskets, drain plug, pipe plug, stainless steel restrictor plate and fasteners).
MC-20-99208	Direct replacement stainless steel restrictor plate for use with Mer- Cruiser riser #'s 98502, 98504 and 44354. Requires (2) gaskets part # MC47-27-41813.
MC-27-93175	Alternator bracket.
MC-29-47441	Upper thermostat housing.
MC-29-87290	Lower thermostat housing.
MC47-27-33395	Direct replacement exhaust manifold to head gasket.
MC47-27-41811	Direct replacement restrictor gasket. Replaces MerCruiser part # 27-41811. To be used with MC-20-87918 ((2) required per plate used).
MC47-27-41813	Direct replacement restrictor gasket. Replaces MerCruiser part # 27-41813.
MC47-27-87105	Direct replacement exhaust elbow gasket. Replaces MerCruiser part # 27-87105.
MC-50-87238	Exhaust manifold drain cock.
MC-50-806926	Replacement 3/4" N.P.T. X 1" hose fitting (90 degree)/brass drain cock.

Note





MERCRUISER V8-225, 250, 255, 270 AND 280


INBOARD AND STERN DRIVE UNITS

LOG STYLE DIRECT REPLACEMENT



MC-1-47737	Direct replacement water cooled exhaust manifold (port side). Replaces MerCruiser part # B-47737A1.
MC-1-47738	Direct replacement water cooled exhaust manifold (starboard side). Replaces MerCruiser part # B-47738A1.
MC-20-72963	Direct replacement exhaust elbow riser. Replaces MerCruiser part # B-72963A1 (inboard applications).
MC-20-76668	Direct replacement exhaust elbow riser. Replaces MerCruiser part # B-76668A3, B-72964A1 and B-47877A4 (I/O applications).
1-60252	Direct replacement exhaust manifold end cap/connector. Replaces Mer-Cruiser part # B-60252.
1-60252P	Front end plate mounting package.
1-73813	Direct replacement manifold end cap (rear). Supercedes part # 1-54870.
1-73813P	Rear end cap mounting package.
MC-1-77234P	Manifold mounting package. Use this package for the MC-1-47737 and MC-1-47738 manifolds.
MC-20-72963P	Exhaust riser elbow mounting package.
MC-20-76668P	Exhaust riser elbow mounting package.
MC-20-61811A4	Manifold to riser 3" spacers (sold in pairs). Includes all mounting hardware, gaskets and drain plugs.
MC-29-47441	Upper thermostat housing.
MC-29-78984	Lower thermostat housing.
MC47-488KIT	Thermostat kit (includes gasket and thermostat).
MC47-27-33395	Direct replacement exhaust manifold to head gasket.
MC47-27-33395A2	Exhaust manifold gasket set.
MC47-27-48042	Direct replacement exhaust elbow to manifold gasket.
MC47-27-48043	Direct replacement exhaust manifold end cap/connector gasket (will fit both ends).
NT . 4 .	

Note:








MERCRUISER V8-454 AND 502 C.I.D.

ALL MODELS CENTER RISER GENERIC



CHVA-1-84	Water cooled center discharge manifold to fit the big block GM engine (3/4" N.P.T. cooling hose connections). All years.
20-0082	Water cooled center discharge riser (3/4" N.P.T. cooling hose connection). Standard for use with 3" I.D. exhaust hose.
20-0100	Water cooled center discharge riser (3/4" N.P.T. cooling hose connection). Standard for use with 4" I.D. exhaust hose.
1-0104P	Adaptor package for fresh water cooled manifold (includes gaskets and block off plate).
1-0105	Center riser manifold-to-riser gasket for fresh water cooling.
1-0106P	Adaptor package for raw water cooling. Used in pre-heating applications (includes gaskets and block off plate with vent hole).
1-0107	Center riser manifold-to-riser gasket (raw water cooling).
20-0082P	Riser mounting package for both 20-0082 and 20-0100.
20-0082SS-P	Stainless steel mounting package (with brass plugs) for both 20-0082 and 20-0100. Not pictured.
20-0084P	Straight exhaust adaptor (includes adaptor, hose and clamps). For use with 3 1/2" I.D. exhaust hose.
20-0085P	Straight exhaust adaptor (includes adaptor, hose and clamps). For use with 2 1/2" I.D. exhaust hose.
20-0086P	90 degree exhaust elbow adaptor for I/O applications (includes adaptor, hose and clamps). For use with 2 1/2" I.D. exhaust hose.
20-0087P	90 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 3" I.D. exhaust hose.
20-0088P	30 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 2 1/2" I.D. exhaust hose.
20-0089P	30 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 3" I.D. exhaust hose.
20-0092P	45 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 3" I.D. exhaust hose.
20-0093P	90 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 3 1/2" or 4" I.D. exhaust hose.
20-0097	3" spacer block (complete with mounting hardware, gasket and 3/4" pipe plug). Capable of stacking.
CHVA-1-84P	Manifold mounting package (includes bolts and pipe plugs).
CHVA-1-84SS-P	Stainless steel manifold mounting package (includes stainless bolts and brass plugs). Not pictured.
CHVA-47-0000	Manifold to cylinder head gasket.
MC-27-47487	Alternator bracket.

Note:

Manifold includes all plugs, gaskets and mounting hardware to head. Risers include plugs, gasket and mounting hardware to mount to manifold.

CHVA 47 0000

MERCRUISER V8-325, 330, 350, 370 AND 400

MC-1-47735

INBOARD AND STERN-DRIVE UNITS

LOG STYLE DIRECT REPLACEMENT

Direct replacement water cooled exhaust manifold (port side). Re-



MC 1 47735



MC 1 47736





MC 20 72963

MC 20 76668







MC 20 61811A4

MC 29 78985

MC 29 47442







MC 20 76668P











places MerCruiser part # B-47735A1 MC-1-47736 Direct replacement water cooled exhaust manifold (starboard side). Replaces MerCruiser part # B-47736A1. MC-20-72963 Direct replacement exhaust elbow riser. Replaces MerCruiser part # B-72963A1 (inboard applications). MC-20-76668 Direct replacement exhaust elbow riser. Replaces MerCruiser part # B-76668A3, B-72964A1 and B-47877A4 (I/O applications). 1-60252 Direct replacement exhaust manifold end cap/connector. Replaces Mer-Cruiser part # B-60252 1-60252P Front end plate mounting package. 1-73813 Direct replacement manifold end cap (rear). Supercedes part # 1-54870. 1-73813P Rear end cap mounting package. MC-20-72963P Exhaust riser elbow mounting Exhaust riser elbow mounting MC-20-76668P package. Manifold to riser 3" spacers (sold in MC-20-61811A4 pairs). Includes all mounting hardware, gaskets and drain plugs. MC-27-47487 Alternator bracket. MC-29-47442 Upper thermostat housing. MC-29-78985 Lower thermostat housing. MC47-488KIT Thermostat kit (includes gasket and thermostat). MC47-27-46820 Direct replacement exhaust manifold to head gasket. MC47-27-46820A1 Exhaust manifold gasket set. MC47-27-48042 Direct replacement exhaust elbow to manifold gasket. MC47-27-48043 Direct replacement exhaust manifold end cap/connector gasket (will fit both ends).

Note:







1 73813





1 60252

MERCRUISER V8 MODELS 330, 340, AND 454 MAGNUM

INBOARD AND STERN-DRIVE UNITS CENTER RISER DIRECT REPLACEMENT







MC 20 44354

MC 20 98504





MC 20 98502

MC 20 93320A3







MC 20 93322A3

MC 29 47442

MC 29 90736













MC 50 806926

MC 50 87238





MC 20 98504P

MC47 27 87105

MC-1-89011	Direct replacement water cooled exhaust manifold. Replaces Mer-Cruiser part # 89011A8.
MC-20-44354	Direct replacement water cooled center discharge riser. Replaces Mer-Cruiser part # B-44354A3. Accepts 4" I.D. exhaust hose (8 degree angle).
MC-20-98502	Direct replacement water cooled center discharge riser. Replaces Mer-Cruiser part #98502A2. Accepts 3" I.D. exhaust hose (0 degree angle).
MC-20-98504	Direct replacement water cooled center discharge riser. Replaces Mer-Cruiser part #98504A3. Accepts 3" I.D. exhaust hose (15 degree angle).
MC-20-44354P	Mounting package for MC-20-44354 riser.
MC-20-87918	Direct replacement stainless steel block off plate for use with Mer- Cruiser riser #'s 98502, 98504 and 44354. Requires (2) gaskets part # MC47-27-41813.
MC-20-93320A3	Manifold to riser 3" spacer blocks (pair) with fastener and gasket package.
MC-20-93322A3	Manifold to riser 6" spacer blocks (pair) with fastener and gasket package.
MC-20-98504P	Mounting package for MC-20-98504 riser (includes gaskets, drain plug, pipe plug, stainless steel restrictor plate and fasteners).
MC-20-99208	Direct replacement stainless steel restrictor plate for use with Mer-Cruiser riser #'s 98502, 98504 and 44354. Requires (2) gaskets part # MC47-27-41813.
MC-27-47487	Alternator bracket.
MC-29-47442	Upper thermostat housing.
MC-29-90736	Lower thermostat housing.
MC47-27-41811	Direct replacement restrictor gasket. Replaces MerCruiser part # 27-41811. To be used with MC-20-87918 ((2) required per plate used).
MC47-27-41813	Direct replacement restrictor gasket. Replaces MerCruiser part # 27-41813.
MC47-27-46820	Direct replacement exhaust manifold to head gasket.
MC47-27-87105	Direct replacement exhaust elbow gasket. Replaces MerCruiser part # 27-87105.
MC-50-87238	Exhaust manifold drain cock.
MC-50-806926	Replacement 3/4" N.P.T. X 1" hose fitting (90 degree)/brass drain cock.

Note:





MERCRUISER 496 MAG AND MAG HO EXHAUST MANIFOLD

FITS MCM/MIE 496 MAG & 8.1L ENGINES. WITHOUT WATER RAIL CENTER RISER DIRECT REPLACEMENT



MC-1-866178

MC-1-866178	Direct Replacementcenter rise exhaust manifold without water rail 496 Mag 8.1L V8 Supercedes Mer- Cruiser 863127T1 and 863127T02
MC-1-866178P	Mounting Package for MC-1-866178 Manifold (Includes, M8-1.25 x 35 Bolts , M8-1.25 x 70 bolts, and Lockwashers, also Engine Block to Manifold Gasket).



MC-1-866178P

MERCRUISER V8 (FORD)-301 AND 351 C.I.D.

ALL MODELS CENTER RISER GENERIC



	_		
A 1	_	4 ~	
13	"	ıν	•

FM-1-83	Water cooled center discharge manifold to fit the small block Ford engine (3/4" N.P.T. cooling hose con-
	nections). All years.
20-0082	Water cooled center discharge riser (3/4" N.P.T. cooling hose con-
	nection). Standard for use with 3"
	I.D. exhaust hose.
20-0100	Water cooled center discharge riser
	(3/4" N.P.T. cooling hose connection). Standard for use with 4"
	I.D. exhaust hose.
1-0104P	Adaptor package for fresh water
1 01011	cooled manifold (includes gaskets
	and block off plate).
1-0105	Center riser manifold-to-riser gasket
	for fresh water cooling.
1-0106P	Adaptor package for raw water
	cooling. Used in pre-heating applica- tions (includes gaskets and block off
	plate with vent hole).
1-0107	Center riser manifold-to-riser gasket
	(raw water cooling).
20-0082P	Riser mounting package for both
20 000200 B	20-0082 and 20-0100.
20-0082SS-P	Stainless steel mounting package (with brass plugs) for both 20-0082
	and 20-0100. Not pictured.
20-0087P	90 degree exhaust elbow adaptor
20 00071	(includes adaptor, hose and clamps).
	For use with 3" I.D. exhaust hose.
20-0088P	30 degree exhaust elbow adaptor
	(includes adaptor, hose and clamps).
20-0089P	For use with 2 1/2" I.D. exhaust hose. 30 degree exhaust elbow adaptor
20-00091	(includes adaptor, hose and clamps).
	For use with 3" I.D. exhaust hose.
20-0092P	45 degree exhaust elbow adaptor
	(includes adaptor, hose and clamps).
	For use with 3" I.D. exhaust hose.
20-0093P	90 degree exhaust elbow adaptor
	(includes adaptor, hose and clamps). For use with 3 1/2" or 4" I.D. exhaust
	hose.
20-0097	3" spacer block (complete with
	mounting hardware, gasket and 3/4"
	pipe plug). Capable of stacking.
FM-1-83P	Manifold mounting package (in-
EM 1 0200 D	cludes bolts and pipe plugs).
FM-1-83SS-P	Stainless steel manifold mounting package (includes stainless bolts and
	brass plugs). Not pictured.
FM-47-0000	Manifold to cylinder head gasket.
MC-6-0000P	Exhaust manifold plumbing fittings
	package for models 188, 255, 233, 255, 302, 351 and 888.
MC 6 0001P	
MC-6-0001P	Exhaust manifold plumbing fittings package for model 215.
MC-45 0000	Fuel filter and solenoid universal
1.1.5 1.5 0000	mounting bracket.
	

MERCRUISER V8 (FORD)-302 AND 351 C.I.D.

MODELS 188, 215, 225, 233, 255 AND 888 INBOARD AND I/O UNITS LOG STYLE DIRECT REPLACEMENT



MC-1-65603	Direct replacement water cooled exhaust manifold (starboard side). Replaces MerCruiser part # B-65603A4 and B-54099A5.
MC-1-65604	Direct replacement water cooled exhaust manifold (port side). Replaces MerCruiser part # B-65604A4 and B-54100A5.
MC-20-60426	Direct replacement exhaust elbow riser (utilizes a stainless steel sleeve at the water/air mixing area). Replaces MerCruiser part #B-60426A1 (I/O applications).
MC-20-76351	Direct replacement exhaust elbow riser. Replaces MerCruiser part # B-76351A1(I/O applications). Not pictured.
MC-20-76771	Direct replacement exhaust elbow riser. Replaces MerCruiser part # B-76771A3 (inboard applications).
1-60252	Direct replacement exhaust manifold end cap/connector. Replaces Mer-Cruiser part # B-60252.
1-60252P	Front end plate mounting package.
1-73813	Direct replacement manifold end cap (rear). Supercedes part # 1-54870.
1-73813P	Rear end cap mounting package.
MC-1-6560P	Manifold mounting package.
MC-20-55730	Stainless steel fresh water cooling block off plate for use with Mer- Cruiser riser #'s 60426, 76351 and 76771. Requires (2) gaskets part # MC47-27-99777.
MC-20-60207	Stainless steel block off plate (with vent hole) for use with MerCruiser riser #'s 60426, 76351 and 76771. Requires (2) gaskets part # MC47-27-99777. Used in pre-heating plumbing systems.
MC-20-60426P	Exhaust riser elbow mounting package. For use with both MC-20-60426 and MC-20-76351 risers.
MC-20-61851A2	Manifold to riser 3" spacers (sold in pairs). Includes all mounting hardware, gaskets and drain plugs.
MC-29-62898	Upper thermostat housing.
MC-29-63588	Lower thermostat housing.
MC47-27-54566A1	Manifold gasket set.
MC47-27-48043	Direct replacement exhaust manifold end cap/connector gasket (will fit both ends).
MC47-27-73866	Direct replacement exhaust manifold to head gasket.
MC47-27-99777-3	Direct replacement exhaust elbow to manifold gasket. Supersedes Mer- Cruiser part # 27-52076.

Note:



MERCRUISER EXHAUST RISERS

DIRECT REPLACEMENT



MC 20 12076

MC 20 44354





MC 20 55538

MC 20 60426





MC 20 72963

MC 20 76325





MC 20 76351

MC 20 76668





MC 20 76771

MC 20 90880





MC 20 98502

MC 20 98504





MC 20 864309

MC 20 864591

MC-20-12076	Direct replacement exhaust riser. Replaces MerCruiser part # 12076A2.
MC-20-44354	Direct replacement water cooled center discharge riser. Replaces Mer- Cruiser part # B-44354A3. Accepts 4" I.D. exhaust hose (8 degree angle).
MC-20-55538	Direct replacement exhaust elbow/ riser. Replaces MerCruiser part # B-39920 and # B-55538A2.
MC-20-60426	Direct replacement exhaust elbow riser (utilizes a stainless steel sleeve at the water/air mixing area). Replaces MerCruiser part #B-60426A1.
MC-20-72963	Direct replacement exhaust elbow riser. Replaces MerCruiser part # B-72963A1 (inboard applications).
MC-20-76325	Direct replacement exhaust riser. Replaces MerCruiser part # 76325A2.
MC-20-76351	Direct replacement exhaust elbow riser. Replaces MerCruiser part # B-76351A1.
MC-20-76668	Direct replacement exhaust elbow riser. Replaces MerCruiser part # B-76668A3, B-72964A1 and B-47877A4 (I/O applications).
MC-20-76771	Direct replacement exhaust elbow riser. Replaces MerCruiser part # B-76771A3 (inboard applications).
MC-20-864591	Direct replacement exhaust riser/ elbow. Replaces MerCruiser part # 864591T02. Riser will replace the equivalent part number used on 4.3L Models as well.
MC-20-90880	Direct replacement (cast iron) exhaust riser/expansion tank. Replaces MerCruiser part # 90880A2.
MC-20-98502	Direct replacement water cooled center discharge riser. Replaces Mer-Cruiser part #98502A2. Accepts 3" I.D. exhaust hose (0 degree angle).
MC-20-98504	Direct replacement water cooled center discharge riser. Replaces Mer-Cruiser part #98504A3. Accepts 3" I.D. exhaust hose (15 degree angle).
MC-20-864309	Direct replacement exhaust riser/ elbow. Replaces MerCruiser part # 864309T01. Riser will replace the equivalent part number on 4.3L Models as well.

Note:

Risers include plugs, gasket and mounting hardware to mount to manifold.

MERCRUISER EXHAUST ACCESSORIES

DIRECT REPLACEMENT















MC 20 14478 MC 20 32 14358

MC-20-55730	Stainless steel fresh water cooling block off plate for use with Mer-Cruiser riser #'s 60426, 76351 and 76771. Requires (2) gaskets part # MC47-27-99777.
MC-20-60207	Stainless steel block off plate (with vent hole) for use with MerCruiser riser #'s 60426, 76351 and 76771. Requires (2) gaskets part # MC47-27-99777. Used in pre-heating plumbing systems.
MC-20-87918	Direct replacement stainless steel block off plate for use with Mer- Cruiser riser #'s 98502, 98504 and 44354.
MC-20-99208	Direct replacement stainless steel restrictor plate for use with Mer-Cruiser riser #'s 98502, 98504 and 44354.
MC-20-14478	Cast Iron Mercruiser V-6 Conversion Elbow (1 piece manifold/riser converted to 2 piece) 4" Exhaust. Replaces MerCruiser 14478T01. Used on MerCruiser V-6 models 175-205-hp and 229 and 262 CID (1983-2005)
MC-20-32-14358	Oval shaped lower exhaust bellow that fits from the exhaust elbow to the Y pipe on MerCruiser V8 applications and is also used in the conversion of V-6 Piece Manifold/Riser to 2 piece. Works for either side.
MC-20-32-44358	Ehaust Below, upper 4" for MerCruiser V6 (Used in Conversion of 1 piece Manifold/Riser to 2 piece), and V8 with Center Riser Manifolds. Connects the exhaust riser to the exhaust elbow.



MERCRUISER 3" AND 6" RISER KITS

DIRECT REPLACEMENT







MC 20 61851A2



MC 20 61851A3




MC 20 93320A3

340 00 4404444	3.5 (0.11) (0.11)
MC-20-61811A4	Manifold to riser 3" spacers (sold in pairs). Includes all mounting hardware, gaskets and drain plugs.
MC-20-61851A2	Manifold to riser 3" spacers (sold in pairs). Includes all mounting hardware, gaskets and drain plugs.
MC-20-61851A3	Manifold to riser 3" spacer (single block). Includes all mounting hardware, gaskets and drain plug.
MC-20-93320A3	Manifold to riser 3" spacer blocks (pair) with fastener and gasket package.
MC-20-93322A3	Manifold to riser 6" spacer blocks (pair) with fastener and gasket package.
MC-20-61811A4P	Mounting package for MC-20-61811A4 spacer block kit.
MC-20-61852A2P	Mounting package for MC-20-61851A2 spacer block kit.
MC-20-61811A3P	Mounting package for MC-20-61811A3 spacer block kit.
MC-20-93320A3P	Mounting package for MC-20-93320A3 spacer block kit.
MC-20-93322A3P	Mounting package for MC-20-93322A3 spacer block kit.

Each spacer block kit includes the spacer block (s) and the corresponding package to mount.




MC 20 93322A3



MC 20 61811A4P



MC 20 93320A3P



MC 20 61851A2P



MC 20 61851A3P



MC 20 93320A3P

MERCRUISER THERMOSTAT HOUSING ASSEMBLIES

Part# **Detailed Description**

MC-29-60372 Upper Thermostat Housing - Models 120, 140, 120R/140R, 160, 165 and 200 MC47-27-47590 Upper Thermostat Housing Gasket - Models 120, 140, 120R/140R, 160, 165 and 200 Lower Thermostat Housing - Models 120, 140, 120R/140R, 160, 165 and 200 MC-29-47587 MC47-27-33680 Lower Thermostat Housing Gasket - Models 120, 140, 120R/140R, 160, 165 and 200

MC-29-59078 Thermostat - Models 120, 140, 120R/140R, 160, 165 and 200 MC-29-47441 Upper Thermostat Housing - Models 225 (GM), 260, 228, 898/198 MC47-27-48818 Upper Thermostat Housing Gasket - Models 225 (GM), 260, 228, 898/198 MC-29-78984 Lower Thermostat Housing Gasket - Models 225 (GM), 260, 228, 898/198 Lower Thermostat Housing Gasket - Models 225 (GM), 260, 228, 898/198 MC47-27-53045

MC-29-59137 Thermostat - Models 225 (GM), 260, 228, 898/198

MC-29-59498 Upper Thermostat Housing - Models 888, 225 (Ford), 233 (Ford) and 255 (Ford) MC-29-62898 Upper Thermostat Housing - Models 888, 225 (Ford), 233 (Ford) and 255 (Ford) Upper Thermostat Housing Gasket - Models 888, 225 (Ford), 233 (Ford) and 255 (Ford) MC47-27-60208 MC-29-60783 Lower Thermostat Housing - Models 888, 225 (Ford), 233 (Ford) and 255 (Ford) MC-29-63588 Lower Thermostat Housing - Models 888, 225 (Ford), 233 (Ford) and 255 (Ford) MC47-27-54506 Lower Thermostat Housing Gasket - Models 888, 225 (Ford), 233 (Ford) and 255 (Ford)

MC-29-59137 Thermostat - Models 888, 225 (Ford), 233 (Ford) and 255 (Ford) MC-29-47441 Upper Thermostat Housing - Models 185R and 898R/228R/260R MC47-27-41812 Upper Thermostat Housing Gasket - Models 185R and 898R/228R/260R Lower Thermostat Housing - Models 185R and 898R/228R/260R MC-29-87290 MC47-27-53045 Lower Thermostat Housing Gasket - Models 185R and 898R/228R/260R

Thermostat - Models 185R and 898R/228R/260R MC-29-59137

MC-29-97429 Upper Thermostat Housing - Models 230 (Inboard) and 260 (Inboard) MC47-27-90556 Upper Thermostat Housing Gasket - Models 230 (Inboard) and 260 (Inboard) Lower Thermostat Housing - Models 230 (Inboard) and 260 (Inboard) MC-29-87290 MC47-27-53045 Lower Thermostat Housing Gasket - Models 230 (Inboard) and 260 (Inboard)

Thermostat - Models 230 (Inboard) and 260 (Inboard) MC-29-59137 Upper Thermostat Housing - Models 330 (GM) MC-29-47442 MC47-27-48818 Upper Thermostat Housing Gasket - Models 330 (GM) Lower Thermostat Housing - Models 330 (GM) MC-29-78985 MC-29-79468 Lower Thermostat Housing - Models 330 (GM) MC47-27-53045 Lower Thermostat Housing Gasket - Models 330 (GM)

MC-29-59137 Thermostat - Models 330 (GM)

MC-29-47442 Upper Thermostat Housing - Models 330 (Inboard) and 340 (Inboard) MC-29-97428 Upper Thermostat Housing - Models 330 (Inboard) and 340 (Inboard) MC47-27-90556 Upper Thermostat Housing Gasket- Models 330 (Inboard) and 340 (Inboard) MC-29-90736 Lower Thermostat Housing - Models 330 (Inboard) and 340 (Inboard) MC47-27-53405 Lower Thermostat Housing Gasket- Models 330 (Inboard) and 340 (Inboard)

MC-29-59137 Lower Thermostat - Models 330 (Inboard) and 340 (Inboard)

MC-29-47442 Upper Thermostat Housing - Models 325, 350 MC47-27-48818 Upper Thermostat Housing Gasket - Models 325, 350 MC-29-47479 Lower Thermostat Housing - Models 325, 350 Lower Thermostat Housing - Models 325, 350 MC-29-49966 MC-29-52852 Lower Thermostat Housing - Models 325, 350 MC-29-78985 Lower Thermostat Housing - Models 325, 350 MC47-27-53045 Lower Thermostat Housing Gasket - Models 325, 350

Thermostat - Models 325, 350 MC-29-59137

MC-29-860256 Cast Iron Thermostat Housing fits Mercury Marine MCM/MIE GM V-6

(4.3L) and V-8 (5.0L and 5.7L) engines with Bravo drive or MIE.

MC-29-861493 Cast Iron Thermostat Housing for MerCruiser fits: GM 2.5L 153 cid 4 Cyl, GM

3.0L 181 cid 4 Cyl, GM 4.3L 250 cid 6 Cyl























MERCRUISER THERMOSTAT KITS



Contents: MC47-27-47590 Gaske MC-29-59078 Thern

Part #



MC47 488KIT

Contents:



Contents:

Gasket	MC47-27-48818	Gasket	MC47-27-60208	Gasket
Thermostat	MC-29-59137	Thermostat	MC-29-59137	Thermostat
Detailed Description				

Part #	Detailed Description
MC47-475KIT	Thermostat Kit 475 - Engine model 120 Beginning S/N 2324347 - Ending S/N 337734. Note MC47 475 Kit Contents: MC47-27-47590 Gasket and MC-29-59078 Thermostat
MC47-475KIT	Thermostat Kit 475 - Engine model 120 Beginning S/N 3377341 - Ending S/N Up. Note MC47 475 Kit Contents: MC47-27-47590 Gasket and MC-29-59078 Thermostat
MC47-475KIT	Thermostat Kit 475 - Engine model 140 Beginning S/N 2508261 - Ending S/N Up. Note MC47 475 Kit Contents: MC47-27-47590 Gasket and MC-29-59078 Thermostat
MC47-475KIT	Thermostat Kit 475 - Engine model 165 Beginning S/N 3377341 - Ending S/N Up. Note MC47 475 Kit Contents: MC47-27-47590 Gasket and MC-29-59078 Thermostat
MC47-488KIT	Thermostat Kit 488 - Engine model 198 Beginning S/N 4776402 - Ending S/N 6218461. Note MC47 488 Kit Contents: MC47-27-48818 Gasket and MC-29-59137 Thermostat
MC47-602KIT	Thermostat Kit 602 - Engine model 215 Beginning S/N 3040411 - Ending S/N Up. Note MC47 602 Kit Contents: MC47-27-60208 Gasket and MC-29-59137 Thermostat
MC47-488KIT	Thermostat Kit 488 - Engine model 225 Beginning S/N 2278647 - Ending S/N 2694014. Note MC47 488 Kit Contents: MC47-27-48818 Gasket and MC-29-59137 Thermostat
MC47-602KIT	Thermostat Kit 602 - Engine model 225 Beginning S/N 3385721 - Ending S/N Up. Note MC47 602 Kit Contents: MC47-27-60208 Gasket and MC-29-59137 Thermostat
MC47-488KIT	Thermostat Kit 488 - Engine model 228 Beginning S/N 4765100 - Ending S/N 2618461. Note MC47 488 Kit Contents: MC47-27-48818 Gasket and MC-29-59137 Thermostat
MC47-488KIT	Thermostat Kit 488 - Engine model 230 Beginning S/N 6040716 - Ending S/N Up. Note MC47 488 Kit Contents: MC47-27-48818 Gasket and MC-29-59137 Thermostat
MC47-602KIT	Thermostat Kit 602 - Engine model 233 Beginning S/N 4173000 - Ending S/N Up. Note MC47 602 Kit Contents: MC47-27-60208 Gasket and MC-29-59137 Thermostat
MC47-488KIT	Thermostat Kit 488 - Engine model 250 Beginning S/N 2314301 - Ending S/N 2639854.Note MC47 488 Kit Contents: MC47-27-48818 Gasket and MC-29-59137 Thermostat
MC47-488KIT	Thermostat Kit 488 - Engine model 250 Beginning S/N 4768000 - Ending S/N 4908849. Note MC47 488 Kit Contents: MC47-27-48818 Gasket and MC-29-59137 Thermostat
MC47-602KIT	Thermostat Kit 602 - Engine model 255 Beginning S/N 3258728 - Ending S/N Up. Note MC47 602 Kit Contents: MC47-27-60208 Gasket and MC-29-59137 Thermostat
MC47-488KIT	Thermostat Kit 488 - Engine model 255 Beginning S/N 4175500 - Ending S/N Up. Note MC47 488 Kit Contents: MC47-27-48818 Gasket and MC-29-59137 Thermostat
MC47-488KIT	Thermostat Kit 488 - Engine model 260 Beginning S/N 5907058 - Ending S/N Up. Note MC47 488 Kit Contents: MC47-27-48818 Gasket and MC-29-59137 Thermostat
MC47-488KIT	Thermostat Kit 488 - Engine model 270 Beginning S/N 2851074 - Ending S/N 3077735. Note MC47 488 Kit Contents: MC47-27-48818 Gasket and MC-29-59137 Thermostat
MC47-488KIT	Thermostat Kit 488 - Engine model 280 Beginning S/N 4176250 - Ending S/N Up. Note MC47 488 Kit Contents: MC47-27-48818 Gasket and MC-29-59137 Thermostat
MC47-488KIT	Thermostat Kit 488 - Engine model 325 Beginning S/N 2288747 - Ending S/N Up. Note MC47 488 Kit Contents: MC47-27-48818 Gasket and MC-29-59137 Thermostat
MC47-488KIT	Thermostat Kit 488 - Engine model 330 Beginning S/N 4623115 - Ending S/N Up. Note MC47 488 Kit Contents: MC47-27-48818 Gasket and MC-29-59137 Thermostat
MC47-488KIT	Thermostat Kit 488 - Engine model 340 Beginning S/N 5889914 - Ending S/N Up. Note MC47 488 Kit Contents: MC47-27-48818 Gasket and MC-29-59137 Thermostat
MC47-488KIT	Thermostat Kit 488 - Engine model 350 Beginning S/N 3780450 - Ending S/N Up. Note MC47 488 Kit Contents: MC47-27-48818 Gasket and MC-29-59137 Thermostat
MC47-488KIT	Thermostat Kit 488 - Engine model 370 Beginning S/N 4179554 - Ending S/N Up. Note MC47 488 Kit Contents: MC47-27-48818 Gasket and MC-29-59137 Thermostat
MC47-488KIT	Thermostat Kit 488 - Engine model 390 Beginning S/N 2781129 - Ending S/N 2825059. Note MC47 488 Kit Contents: MC47-27-48818 Gasket and MC-29-59137 Thermostat
MC47-602KIT	Thermostat Kit 602 - Engine model 888 Beginning S/N 3108723 - Ending S/N Up. Note MC47 602 Kit Contents: MC47-27-60208 Gasket and MC-29-59137 Thermostat
MC47-488KIT	Thermostat Kit 488 - Engine model 898 Beginning S/N 4762210 - Ending S/N 6218461. Note MC47 488 Kit Contents: MC47-27-48818 Gasket and MC-29-59137 Thermostat

OMC 4-CYLINDER 153 C.I.D. 120 H.P. 2.5 LITER

MODEL 120 ENGINE

LOG STYLE DIRECT REPLACEMENT



OMC 1 981462



OMC 1 982657



OMC 20 980536



OMC 20 910380



OMC 20 909368



OMC 20 907765




OMC 20 908014



1-907885



1-910280



Note:





OMC 20 910380P



OMC47 311121



OMC47 908013



OMC47 907764







OMC 4-CYLINDER 181 C.I.D. 140 H.P. 3.0 LITER

MODEL 140 ENGINE


LOG STYLE DIRECT REPLACEMENT



OMC 1 984054



OMC 20 910380



Note:














OMC (VOLVO) 4-CYLINDER 181 C.I.D. 140 H.P. 3.0 LITER

ALL MODELS (CARBURETED) WITH VORTEC STYLE HEAD LOG STYLE DIRECT REPLACEMENT



OMC 1 3858850



Note:

OMC-1-3858850

Manifold and riser includes all applicable plugs, mounting hardware and gaskets.



OMC 20 3862603



OMC 20 3853628



OMC47 908013



OMC 1 3858850P



OMC 20 3862603P



OMC47 3853256

Stainless steel restrictor plate only used in some applications. If you are not sure if the plate is used, please consult your OEM. Two gaskets required when using the plate (one on each side of the plate).

OMC V6-155 H.P. ALL YEARS

LOG STYLE GENERIC

Port side part # BV6 1 75L.



BV6 1 75R



20 0031

BV6-1-75L	Water cooled end discharge port manifold to fit the Buick V6 engine (1/2" N.P.T. cooling connections). All years.
BV6-1-75R	Water cooled end discharge starboard manifold to fit the Buick V6 engine (1/2" N.P.T. cooling connections). All years.
20-0031	Swivel-type 90 degree exhaust elbow connector with internal water discharge. Accepts 2 1/2" to 3" I.D. exhaust hose. Requires (1) mounting hardware kit #20-0002P per elbow.
OMC-1-0092	Front end plate with choke stove heat exchanger (starboard side only).
OMC-6-0000P	Plumbing fittings package (3/4" I.D. hose only).
OMC-29-0000	Upper thermostat housing. Replaces either OMC # 314810 or # 982201 (may also order under part #'s OMC-29-314810 or OMC-29-982201).
OMC-29-383307	160 degree thermostat.
OMC47-314809	Thermostat housing gasket.



OMC 1 0092



OMC 29 0000



OMC47 314809



OMC 29 383307





OMC V6-4.3L COBRA

ALL MODELS CENTER RISER DIRECT REPLACEMENT




OMC 1 3857656



OMC 20 913784





Note:



VO 20 3862627







OMC V8-283, 305, 307, AND 350 C.I.D.

MODELS 210, 215, 225, 235 AND 245 H.P. LOG STYLE GENERIC

Port side part # OF 1 60L.



OF 1 60R









OF-1-60L	Water cooled end discharge port manifold to fit the Small Block GM engine (1/2" N.P.T. cooling hose connections).
OF-1-60R	Water cooled end discharge starboard manifold to fit the Small Block GM engine (1/2" N.P.T. cooling hose connections).
20-0031	Swivel-type 90 degree exhaust elbow connector with internal water discharge. Accepts 2 1/2" to 3" I.D. exhaust hose. Requires (1) mounting hardware kit #20-0002P per elbow.
20-0055	Swivel-type 30 degree exhaust elbow connector; fully jacketed. Accepts 2 1/2" or 3" I.D. exhaust hose. Requires (1) mounting hardware kit #20-0002P per elbow.
20-0002P	Mounting hardware kit.
OF-1-60F-P	Manifold to cylinder head mounting package.
OMC-6-0000P	Plumbing fittings package (3/4" I.D. hose only).
OMC-29-0000	Upper thermostat housing. Replaces either OMC # 314810 or # 982201 (may also order under part #'s OMC-29-314810 or OMC-29-982201).
OMC-29-383307	160 degree thermostat.
OMC47-314809	Thermostat housing gasket.
OMC47-909314	Exhaust manifold to cylinder head gasket.
OMC47-909515	Adaptor housing gasket.













OMC47 909515

OMC V8-283, 305, 307 AND 350 C.I.D.

MODELS 225 AND 245 H.P.

LOG STYLE DIRECT REPLACEMENT



OMC 1 979761



OMC 20 981281



OMC 29 383307



OMC 29 0000



OMC47 909314



1 312148



1 312149



1 380985

OMC-1-979760	Direct replacement exhaust manifold
ONIC-1-9/9/00	Direct replacement exhaust manifold (port side). Replaces OMC part # 979760.
OMC-1-979761	Direct replacement exhaust manifold (starboard side). Replaces OMC part #979761.
OMC-20-981281	Direct replacement exhaust elbow. Replaces OMC part #'s 907776 and # 907777.
1-31214P	Exhaust manifold end cap/connector mounting package.
1-312148	Direct replacement exhaust manifold front end cap/connector (port side).
1-312149	Direct replacement exhaust manifold front end cap/connector(starboard side). End cap has extra hole drilled for choke stove.
1-380985	Choke stove heat exchanger (starboard side only). Uses 1-312149 end cap.
OMC-1-9797P	End cap and exhaust elbow stud package.
OMC-1-97975P	Exhaust manifold mounting package.
OMC-20-981281P	Exhaust elbow mounting package.
OMC-29-383307	160 degree thermostat.
OMC-29-0000	Upper thermostat housing. Replaces either OMC # 314810 or # 982201 (may also order under part #'s OMC-29-314810 or OMC-29-982201).
OMC47-311130	Direct replacement exhaust manifold end cap/connector gasket (not to be used between elbow and manifold).
OMC47-314809	Thermostat housing gasket.
OMC47-907775	Direct replacement exhaust elbow
	gasket. Manifold to cylinder head gasket.







131214P



000000 OMC 1 97975P

OMC 1 9797P

OMC47 314809

OMC V8-283, 305, 307, AND 350 C.I.D.

MODELS 185, 200, 225, 230, AND 260 H.P. LOG STYLE DIRECT REPLACEMENT



OMC 1 912441



OMC 1 912442



OMC 20 982680

OMC-1-912441	Direct replacement exhaust manifold (starboard side). Replaces OMC part #'s 912441 and 909280.
OMC-1-912442	Direct replacement exhaust manifold (port side). Replaces OMC part #'s #'s 912442 and 910144.
OMC-20-982680	Direct replacement exhaust riser/ elbow. Replaces OMC part # 982680.
OMC-20-982680P	Exhaust riser/elbow mounting package.
OMC-29-0000	Upper thermostat housing. Replaces either OMC # 314810 or # 982201 (may also order under part #'s OMC-29-314810 or OMC-29-982201).
OMC-29-383307	160 degree thermostat.
OMC47-314809	Thermostat housing gasket.
OMC47-909314	Exhaust manifold to cylinder head gasket.
OMC47-909786	Direct replacement exhaust riser to manifold gasket.



OMC 29 0000



OMC 29 383307









OMC V8-283, 305, 307, AND 350 C.I.D.

ALL MODELS CENTER RISER GENERIC



CHV 183









20 0097

20 0084P

20 0085P





20 0088P

20 0092P























fold to fit the small block CM on air a
fold to fit the small block GM engine (3/4" N.P.T. cooling hose connections). All years.
Water cooled center discharge riser
(3/4" N.P.T. cooling hose con-
nection). Standard for use with 3" I.D. exhaust hose.
Water cooled center discharge riser
(3/4" N.P.T. cooling hose con-
nection). Standard for use with 4" I.D. exhaust hose.
Adaptor package for fresh water
cooled manifold (includes gaskets
and block off plate). Center riser manifold-to-riser gasket
for fresh water cooling.
Adaptor package for raw water
cooling. Used in pre-heating applica- tions (includes gaskets and block off
plate with vent hole).
Center riser manifold-to-riser gasket
(raw water cooling).
Riser mounting package for both 20-0082 and 20-0100.
Stainless steel mounting package
(with brass plugs) for both 20-0082 and 20-0100. Not pictured.
Straight exhaust adaptor (includes
adaptor, hose and clamps). For use with 3 1/2" I.D. exhaust hose.
Straight exhaust adaptor (includes
adaptor, hose and clamps). For use
with 2 1/2" I.D. exhaust hose.
90 degree exhaust elbow adaptor for I/O applications (includes adaptor,
hose and clamps). For use with 2 1/2'
I.D. exhaust hose.
90 degree exhaust elbow adaptor (includes adaptor, hose and clamps).
For use with 3" I.D. exhaust hose.
30 degree exhaust elbow adaptor (includes adaptor, hose and clamps).
For use with 2 1/2" I.D. exhaust hose.
30 degree exhaust elbow adaptor
(includes adaptor, hose and clamps). For use with 3" I.D. exhaust hose.
45 degree exhaust elbow adaptor
(includes adaptor, hose and clamps).
For use with 3" I.D. exhaust hose.
90 degree exhaust elbow adaptor (includes adaptor, hose and clamps).
For use with 3 1/2" or 4" I.D. exhaust
hose. 3" spacer block (complete with
mounting hardware, gasket and 3/4"
pipe plug). Capable of stacking.
Manifold mounting package (in- cludes bolts and pipe plugs).
Stainless steel manifold mounting
package (includes stainless bolts and brass plugs). Not pictured.
Manifold to cylinder head gasket.
Exhaust manifold plumbing fittings
package for model 215.
Hose bushing 3" to 3 1/2" (where applicable).

OMC V8-5.7L COBRA

VO-20-3862627 OMC-1-914035


CENTER RISER DIRECT REPLACEMENT **ALL MODELS**



OMC 1 914035



OMC 20 913784



Direct replacement exhaust riser/ elbow 11.3 "New style tall one piece"

Direct replacement exhaust manifold.

mounting hardware to mount to manifold.













OMC (FORD) V8-302 AND 351 C.I.D.

MODELS 170, 175, 190 AND 235 H.P.

DIRECT REPLACEMENT



OMC 1 980959

OMC-1-980959	Direct replacement exhaust manifold. Replaces OMC part # 980572 and # 980959.
OMC-20-980617	Direct replacement exhaust elbow. Replaces OMC part # 980617.
1-908719	Direct replacement exhaust manifold end cap/connector (front). Replaces OMC part # 908719.
OMC-1-980959P	Manifold to cylinder head mounting package.
OMC-20-980617P	Exhaust elbow mounting package.
OMC47-908717	Exhaust manifold to cylinder head gasket.
OMC47-908935	Direct replacement exhaust manifold end cap/connector gasket.
Note:	

Note:



OMC 20 980617



1 908719



OMC 1 980959P







OMC (FORD) V8-302 AND 351 C.I.D.

ALL MODELS CENTER RISER GENERIC



FM-1-83	Water cooled center discharge manifold to fit the small block Ford engine (3/4" N.P.T. cooling hose connections). All years.
20-0082	Water cooled center discharge riser (3/4" N.P.T. cooling hose connection). Standard for use with 3" I.D. exhaust hose.
20-0100	Water cooled center discharge riser (3/4" N.P.T. cooling hose connection). Standard for use with 4" I.D. exhaust hose.
1-0104P	Adaptor package for fresh water cooled manifold (includes gaskets and block off plate).
1-0105	Center riser manifold-to-riser gasket for fresh water cooling.
1-0106P	Adaptor package for raw water cooling. Used in pre-heating applications (includes gaskets and block off plate with vent hole).
1-0107	Center riser manifold-to-riser gasket (raw water cooling).
20-0082P	Riser mounting package for both 20-0082 and 20-0100.
20-0082SS-P	Stainless steel mounting package (with brass plugs) for both 20-0082 and 20-0100. Not pictured.
20-0087P	90 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 3" I.D. exhaust hose.
20-0088P	30 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 2 1/2" I.D. exhaust hose.
20-0089P	30 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 3" I.D. exhaust hose.
20-0092P	45 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 3" I.D. exhaust hose.
20-0093P	90 degree exhaust elbow adaptor (includes adaptor, hose and clamps). For use with 3 1/2" or 4" I.D. exhaust hose.
20-0097	3" spacer block (complete with mounting hardware, gasket and 3/4" pipe plug). Capable of stacking.
FM-1-83P	Manifold mounting package (includes bolts and pipe plugs).
FM-1-83SS-P	Stainless steel manifold mounting package (includes stainless bolts and brass plugs). Not pictured.
FM-47-0000	Manifold to cylinder head gasket.
MC-6-0001P	Exhaust manifold plumbing fittings package (1" I.D. hose only).
OMC-6-0000P	Exhaust manifold plumbing fittings package (3/4" hose only).
OMC-20-0000P	Hook up package; may be required for connection to stern drive units (exhaust hose and clamps not included).
OMC-20-0003	Hose bushing 3" to 3 1/2" (where applicable).

OMC V8-5.0L AND 5.8L COBRA

ALL MODELS CARBURETED

CENTER RISER DIRECT REPLACEMENT



OMC 1 3852347

OMC-1-3852347	Direct replacement exhaust manifold. Replaces Volvo part # 3852347.
OMC-20-913784	Direct replacement exhaust riser/ elbow. Replaces OMC # 913784 and Volvo part # 3863061 (New Style).
OMC-20-913784P	Exhaust riser/elbow mounting package.
FM 47 0000	Exhaust manifold to cylinder head gasket.
OMC47-913783	Direct replacement exhaust riser/ elbow to manifold gasket.
50-512-017	Replacement 1/2" N.P.T. to 1" hose (straight)/brass hose fitting.

Note:

Manifold includes all plugs, gaskets, hose fitting and mounting hardware to head. Risers include plugs, gasket and mouniting hardware to mount to manifold.



OMC 20 913784









Warning: Barr Riser Shown Only Fits Carbureted Ford Engines! Will Not Directly Replace Volvo Part #'s 3855271 (port) Or 3855269 (stbd) Risers for EFI Models

PERKINS 150 H.P. 354 C.I.D.

MODEL T6.354M



	Replaces Perkins part number 89058.
PE-1-6354B	Cover plate. Replaces Perkins part #
	35732861.
PE-1-6354P	Manifold mounting kit.
Note:	


Water cooled exhaust manifold (includes mounting hardware to head).

PE-1-6354

The manifold will fit vertical or inclined models and will accept all of the original end plates, fittings, gaskets and hardware. It will not fit engines equipped with a combined exhaust manifold heat exchanger, nor is it applicable to naturally aspirated models.




PE 1 6354B



PE 1 6354P

PCM V8-302 AND 351 C.I.D. ALL YEARS

CENTER RISER GENERIC



L	0	te	:	

FM-1-83	Water cooled center discharge manifold to fit the small block Ford engine (3/4" N.P.T. cooling hose connections). All years.
20-0082	Water cooled center discharge riser
20 0002	(3/4" N.P.T. cooling hose con-
	nection). Standard for use with 3"
20-0100	I.D. exhaust hose. Water cooled center discharge riser
20-0100	(3/4" N.P.T. cooling hose con-
	nection). Standard for use with 4"
20, 0102	I.D. exhaust hose.
20-0102	Water cooled center discharge riser (3/4" N.P.T. cooling hose con-
	nection).
1-0104P	Adaptor package for fresh water
	cooled manifold (includes gaskets
1-0105	and block off plate). Center riser manifold-to-riser gasket
1-0103	for fresh water cooling.
1-0106P	Adaptor package for raw water
	cooling. Used in pre-heating applica-
	tions (ĭncludes gaskets and block off plate with vent hole).
1-0107	Center riser manifold-to-riser gasket
	(raw water cooling).
20-0082P	Riser mounting package for both 20-0082 and 20-0100.
20-0082SS-P	Stainless steel mounting package
20 000200 1	(with brass plugs) for both 20-0082
	and 20-0100. Not pictured.
20-0084P	Straight exhaust adaptor (includes adaptor, hose and clamps). For use
	with 3 1/2" I.D. exhaust hose.
20-0085P	Straight exhaust adaptor (includes
	adaptor, hose and clamps). For use
20-0086P	with 2 1/2" I.D. exhaust hose. 90 degree exhaust elbow adaptor
20 00001	(includes adaptor, hose and clamps).
	For use with $\tilde{2}$ 1/2" I.D. exhaust hose.
20-0087P	90 degree exhaust elbow adaptor
	(includes adaptor, hose and clamps). For use with 3" I.D. exhaust hose.
20-0088P	30 degree exhaust elbow adaptor
20 00001	(includes adaptor, hose and clamps).
	For use with 2 1/2" I.D. exhaust hose.
20-0089P	30 degree exhaust elbow adaptor
	(includes adaptor, hose and clamps). For use with 3" I.D. exhaust hose.
20-0092P	45 degree exhaust elbow adaptor
	(includes adaptor, hose and clamps).
20-0093P	For use with 3" I.D. exhaust hose.
20-00931	90 degree exhaust elbow adaptor (includes adaptor, hose and clamps).
	(includes adaptor, hose and clamps). For use with 3 1/2" or 4" I.D. exhaust
20,0007	hose.
20-0097	3" spacer block (complete with mounting hardware, gasket and 3/4"
	pipe plug). Capable of stacking.
FM-1-83P	Manifold mounting package (in-
EN 1 0000 F	cludes bolts and pipe plugs).
FM-1-83SS-P	Stainless steel manifold mounting package (includes stainless bolts and
	brass plugs). Not pictured.
FM-47-0000	Manifold to cylinder head gasket.

UNIVERSAL ATOMIC 4 LOG STYLE DIRECT REPLACEMENT



UV-1-259624	Water cooled manifold.
UV47-261050	Manifold to cylinder head gasket. Direct replacement for Universal gasket part # 261050.



VOLVO 4 CYLINDER MODELS AQ 115 AND AQ 130

LOG STYLE DIRECT REPLACEMENT



VO-1-824532	Dierect replacement water cooled exhaust manifold. Replaces Volvo part # 824532-6.
VO-20-825599	Direct replacement exhaust elbow. Replaces Volvo part # 825599-4.
VO47-856028	Direct replacement exhaust elbow to manifold gasket. Replaces Volvo part # 856028.



VO 20 825599



VO47 856028

Barr Marine extends a 1 year warranty on this exhaust manifold.

VOLVO 4 CYLINDER

MODELS AQ 120B, 125A, 140A, 145A BB, 140A AND 145A LOG STYLE DIRECT REPLACEMENT



VO	1	855387
\mathbf{v}	, ,	000001

VO-1-855387	Direct replacement water cooled exhaust manifold. Replaces Volvo part # 855387-7 and 834438-4.
VO47-855383	Exhaust manifold to cylinder head gasket (requires four gasket per engine).

Note:

Manifold includes all plugs, gaskets and mounting hardware to head.



Barr Marine extends a 1 year warranty on this exhaust manifold.

VOLVO V6-4.3 COBRA

ALL MODELS CENTER RISER DIRECT REPLACEMENT




OMC 1 3857656



OMC 20 913784





Note:



VO 20 3862627








VOLVO V8-307 AND 350 C.I.D.

ALL MODELS CENTER RISER GENERIC



A	-4	
/	$\alpha \tau o \cdot$	

CHV-1-83	Water cooled center discharge manifold to fit the small block GM engine (3/4" N.P.T. cooling hose con-
	nections). All years.
20-0082	Water cooled center discharge riser
	(3/4" N.P.T. cooling hose connection). Standard for use with 3"
	I.D. exhaust hose.
20-0100	Water cooled center discharge riser
	(3/4" N.P.T. cooling hose con-
	nection). Standard for use with 4"
- 010 ID	I.D. exhaust hose.
1-0104P	Adaptor package for fresh water
	cooled manifold (includes gaskets and block off plate).
1-0105	Center riser manifold-to-riser gasket
1 0105	for fresh water cooling.
1-0106P	Adaptor package for raw water
	cooling. Used in pre-heating applica-
	tions (includes gaskets and block off
1.0105	plate with vent hole).
1-0107	Center riser manifold-to-riser gasket (raw water cooling).
20-0082P	Riser mounting package for both
20-00021	20-0082 and 20-0100.
20-0082SS-P	Stainless steel mounting package
	(with brass plugs) for both 20-0082
	and 20-0100. Not pictured.
20-0084P	Straight exhaust adaptor (includes adaptor, hose and clamps). For use
	with 3 1/2" I.D. exhaust hose.
20-0085P	Straight exhaust adaptor (includes
	adaptor, hose and clamps). For use
	with 2 1/2" I.D. exhaust hose.
20-0086P	90 degree exhaust elbow adaptor for
	I/O applications (includes adaptor,
	hose and clamps). For use with 2 1/2" I.D. exhaust hose.
20-0087P	90 degree exhaust elbow adaptor
	(includes adaptor, hose and clamps).
	For use with 3" I.D. exhaust hose.
20-0088P	30 degree exhaust elbow adaptor
	(includes adaptor, hose and clamps).
20-0089P	For use with 2 1/2" I.D. exhaust hose. 30 degree exhaust elbow adaptor
20-0009F	(includes adaptor, hose and clamps).
	For use with 3" I.D. exhaust hose.
20-0092P	45 degree exhaust elbow adaptor
	(includes adaptor, hose and clamps).
	For use with 3" I.D. exhaust hose.
20-0093P	90 degree exhaust elbow adaptor
	(includes adaptor, hose and clamps). For use with 3 1/2" or 4" I.D. exhaust
	hose.
20-0097	3" spacer block (complete with
	mounting hardware, gasket and 3/4"
CHILL LOOP	pipe plug). Capable of stacking.
CHV-1-83P	Manifold mounting package (includes bolts and pipe plugs).
CHV-1-83SS-P	Stainless steel manifold mounting
CH v-1-6555-P	package (includes stainless bolts and
	brass plugs). Not pictured.
CHV-27-0083	Alternator bracket. Use where engine
	water pump is mounted on port side
CITY AT 0000	of engine below alternator.
CHV-47-0000	Manifold to cylinder head gasket.
OMC-20-0003	Hose bushing 3" to 3 1/2".

VOLVO V8-307 AND 350 C.I.D.

MODELS AQ 200D, 200F, 225D, 225E, 225F, 255B, 260A, 271A, 280A, 290A, 311A BB, 225A, 225 AV, 225B, 260B AND 260C CENTER RISER DIRECT REPLACEMENT




VO 1835804



VO 20 855384





Note:





VOLVO V8-5.7L COBRA

CENTER RISER DIRECT REPLACEMENT



OMC 1 914035



OMC 20 913784

VO-20-3862627	Direct replacement exhaust riser/ elbow 11.3 "New style tall one piece"
OMC-1-914035	Direct replacement exhaust manifold. Replaces OMC part # 914035 and Volvo part # 3857723 and # 3857579 (New Style).
OMC-20-913784	Direct replacement exhaust riser/ elbow. Replaces OMC # 913784 and Volvo part # 3863061 and # 3857944 and # 3861842 (New Style).
OMC-1-914035P	Exhaust manifold mounting package.
OMC-20-913784P	Exhaust riser/elbow mounting package.
OMC47-909314	Exhaust manifold to cylinder head gasket.
OMC47-913783	Direct replacement exhaust riser/ elbow to manifold gasket.
50-512-017	Replacement 1/2" N.P.T. to 1" hose (straight)/brass hose fitting.

Note:



VO 20 3862627



OMC 1 914035P











VO 20 3862627P

VOLVO V8-5.0L AND 5.8L COBRA

ALL MODELS CARBURETED

CENTER RISER DIRECT REPLACEMENT



OMC 1 3852347

OMC-1-3852347	Direct replacement exhaust manifold. Replaces Volvo part # 3852347.
OMC-20-913784	Direct replacement exhaust riser/ elbow. Replaces OMC # 913784 and Volvo part # 3863061 (New Style).
OMC-20-913784P	Exhaust riser/elbow mounting package.
FM 47 0000	Exhaust manifold to cylinder head gasket.
OMC47-913783	Direct replacement exhaust riser/ elbow to manifold gasket.
50-512-017	Replacement 1/2" N.P.T. to 1" hose (straight)/brass hose fitting.

Note:

Manifold includes all plugs, gaskets, hose fitting and mounting hardware to head. Risers include plugs, gasket and mouniting hardware to mount to manifold.



OMC 20 913784










Warning: Barr Riser Shown Only Fits Carbureted Ford Engines! Will Not Directly Replace Volvo Part #'s 3855271 (port) Or 3855269 (stbd) Risers for EFI Models

WAUKESHA V8-302 AND 351 C.I.D. ALL YEARS

CENTER RISER GENERIC



FM-1-83	Water cooled center discharge mani-
	fold to fit the small block Ford engine
	(3/4" N.P.T. cooling hose connections). All years.
20-0082	
20-0062	Water cooled center discharge riser (3/4" N.P.T. cooling hose con-
	nection). Standard for use with 3"
	I.D. exhaust hose.
20-0100	Water cooled center discharge riser
20 0100	(3/4" N.P.T. cooling hose con-
	nection). Standard for use with 4"
	I.D. exhaust hose.
1-0104P	Adaptor package for fresh water
	cooled manifold (includes gaskets
	and block off plate).
1-0105	Center riser manifold-to-riser gasket
	for fresh water cooling.
1-0106P	Adaptor package for raw water
	cooling. Used in pre-heating applica-
	tions (includes gaskets and block off
	plate with vent hole).
1-0107	Center riser manifold-to-riser gasket
	(raw water cooling).
20-0082P	Riser mounting package for both
	20-0082 and 20-0100.
20-0082SS-P	Stainless steel mounting package
	(with brass plugs) for both 20-0082
	and 20-0100. Not pictured.
20-0084P	Straight exhaust adaptor (includes
	adaptor, hose and clamps). For use
	with 3 1/2" I.D. exhaust hose.
20-0085P	Straight exhaust adaptor (includes
	adaptor, hose and clamps). For use
	with 2 1/2" I.D. exhaust hose.
20-0086P	90 degree exhaust elbow adaptor
	(includes adaptor, hose and clamps).
	For use with 2 1/2" I.D. exhaust hose.
20-0087P	90 degree exhaust elbow adaptor
	(includes adaptor, hose and clamps).
** ***	For use with 3" I.D. exhaust hose.
20-0088P	30 degree exhaust elbow adaptor
	(includes adaptor, hose and clamps).
20 0000D	For use with 2 1/2" I.D. exhaust hose.
20-0089P	30 degree exhaust elbow adaptor
	(includes adaptor, hose and clamps). For use with 3" I.D. exhaust hose.
20-0092P	
20-0072F	45 degree exhaust elbow adaptor (includes adaptor, hose and clamps).
	For use with 3" I.D. exhaust hose.
20-0093P	90 degree exhaust elbow adaptor
20-00731	(includes adaptor hose and clamps)
	(includes adaptor, hose and clamps). For use with 3 1/2" or 4" I.D. exhaust
	hose.
20-0097	3" spacer block (complete with
	mounting hardware, gasket and 3/4"
	pipe plug). Capable of stacking.
FM-1-83P	Manifold mounting package (in-
11,1 1 001	cludes bolts and pipe plugs).
FM-1-83SS-P	Stainless steel manifold mounting
1 1 0000 1	package (includes stainless bolts and
	brass plugs). Not pictured.
FM-47-0000	Manifold to cylinder head gasket.
	1.1ulliola to 0, illiant flowa guoketi

CENTER DISCHARGE EXHAUST RISER 4"



20 0100










20-0100	Water cooled center discharge riser (3/4" N.P.T. cooling hose connection). Standard for use with 4" I.D. exhaust hose.
1-0104P	Adaptor package for fresh water cooled manifold (includes gaskets and block off plate).
1-0105	Center riser manifold-to-riser gasket for fresh water cooling.
1-0106P	Adaptor package for raw water cooling. Used in pre-heating applications (includes gaskets and block off plate with vent hole).
1-0107	Center riser manifold-to-riser gasket (raw water cooling).
20-0082P	Riser mounting package for both 20-0082 and 20-0100.
20-0082SS-P	Stainless steel mounting package (with brass plugs) for both 20-0082 and 20-0100.


The Barr Center Riser is designed to limit back pressure on the engine. This riser is to be utilized with the Barr CHV-1-83, FM-1-83 and CHVA-1-84 manifolds!


Note:

Riser includes plug, gasket and mounting hardware to mount to manifold.




CENTER DISCHARGE MANIFOLD AND RISER SYSTEM DIMENSIONS





CENTER DISCHARGE MANIFOLD AND RISER SYSTEM DIMENSIONS



EXHAUST RISERS AND CONNECTORS

Part# Detailed Description

1-0001 Adaptor Adaptor for Barr manifold replacing size "A" end plate (2" pipe). Order (1) for 4 or 6 cylinder engines or (2)

for V8 cylinder engines.

1-0081 Adaptor for Barr round-type Oldsmobile conversion manifold (OR-1-73). Order (2) for Oldsmobile V8 cylinder

engines.

1-0012L Adaptor for Chris Craft V8 283 C.I.D. manifolds prior to Models F, G, K and Q (three pass system), "L" for left side.

Order (1) for Chris Craft V8 cylinder engines (port/left side).

1-0012R Adaptor for Chris Craft V8 283 C.I.D. manifolds prior to Models F, G, K and Q (three pass system), "R" for right side.

Order (1) for Chris Craft V8 cylinder engines (starboard/right side).

1-0283A Adaptor for Chris Craft V8 283, 302, 305, 307, 327 and 350 C.I.D. manifolds; models F, G and K (two pass system).

Order 2 for Chris Craft V8 cylinder engines.

1-0283L Adaptor for Chris Craft V8 283, 302, 305, 307, 327 and 350 C.I.D. manifolds; model Q (single pass system), "L" for

left side. Order (1) for Chris Craft V8 cylinder engines (port/left side).

1-0283R Adaptor for Chris Craft V8 283, 302, 305, 307, 327 and 350 C.I.D. manifolds; model Q (single pass system), "R" for

right side. Order (1) for Chris Craft V8 cylinder engines (starboard/right side).

1-0007 Adaptor for Chrysler V8 383, 413 and 440 C.I.D. manifolds (4 bolt), Chrysler Ace and Crown Engines. Order (1) for

Ace and Crown 6 cylinder engines and (2) for Chrysler V8 engines.

1-0013L Adaptor for Chrysler V8 318 C.I.D. (prior to 1966); "L" for left side. Order (1) for Chrysler V8 engines (port/left side).

1-0013R Adaptor for Chrysler V8 318 C.I.D. (prior to 1966); "R" for right side. Order (1) for Chrysler V8 engines (port/left

side).

1-0071 Adaptor for Chrysler V8, Model M 81 (225 H.P.). Order (2) for Chrysler M 81 V8 engines.

CM-1-6672C Adaptor for Chrysler V8 318 C.I.D. (after 1966). Order (2) for Chrysler V8 engines.

1-0002 Adaptor for Graymarine V8 327 C.I.D. (4 bolt flange). Order (2) for Graymarine V8 (4 bolt) engines.
1-0069 Adaptor for Graymarine V8 327 C.I.D. (3 bolt flange). Order (2) for Graymarine V8 (3 bolt) engines.

1-0070 Adaptor for Palmer V8, Model 14-345


1-0014 Universal adaptor to fit any engine with 3 1/4" or smaller manifold end (drill to suit manifold). Order (1) for 4 or 6

cylinder engines or (2) for V8 cylinder engines.

20-0008 Adaptor for 2" standard N.P.T. pipe thread. Order (1) for 4 or 6 cylinder engines or (2) for V8 cylinder engines.

20-0004 Adaptor for 2 1/2" standard N.P.T. pipe thread. Order (1) for 4 or 6 cylinder engines or (2) for V8 cylinder engines.

EXHAUST RISERS AND CONNECTORS










20-0000	Swivel-type high discharge exhaust riser; 8 1/2" riser protection. Requires (1) mounting hardware kit #20-0002P per riser. Use only with 2 7/8" to 3" I.D. exhaust hose.
20-0002P	Mounting hardware kit.
20-0031	Swivel-type 90 degree exhaust elbow connector with internal water discharge. Accepts 2 1/2" to 3" I.D. exhaust hose. Requires (1) mounting hardware kit #20-0002P per elbow.
20-0034 or 20-0035	Exhaust connector #20-0035 (for 2 1/2" I.D. exhaust hose) or exhaust connector #20-0034 (for 3" I.D. exhaust hose). Connects to #20-0039 using (1) #20-0002P per connector.
20-0039	Fully jacketed swivel-type exhaust riser; 7" riser protection. Requires (2) mounting hardware kits #20-0002P ((1) kit to mount riser to manifold and (1) kit to mount elbows #20-0034 or #20-0035 to riser).
20-0055	Swivel-type 30 degree exhaust elbow connector; fully jacketed. Accepts 2 1/2" or 3" I.D. exhaust hose. Requires (1) mounting hardware kit #20-0002P per elbow.

Note: A header adaptor style end cap must be installed on the exhaust end of the log manifold in order to mount these risers or elbows. See the "Manifold End Plate and Gasket Identification Listing" page at the beginning of this catalog for the proper end plates specific to your aplication.


EXHAUST RISERS AND CONNECTORS



THERMOSTAT AND THERMOSTAT HOUSING ASSEMBLIES BARR MARINE STYLE

























ADAPTOR BELL HOUSINGS



	•
CHV-24-0001	Chevrolet in-line 6 cylinder 1962-79; 194, 230 and 250 C.I.D.; all models with 12 5/8" diameter flywheel. Also for
	1963-283, 307, 327 and 350 C.I.D. with 12 5/8" diameter flywheel (26 spline applications).

CHV-WVDC-70A Chevrolet V8 OHV 1971 to date; all models with 14" diameter flywheel and starter mounting to the underside of block (26 spline applications).

Part#

CHVA-WVDC-77A Chevrolet V8 OHV 1971 to date; all models with 14" flywheel and top mountied starter (26 spline applications). Ford and Mercury in-line 6 cylinder 1965-69; 240 and 300 C.I.D. Ford and Mercury V8 OHV 1965 to date; 289, 302 and 351 C.I.D. (identified by the use of 6 bolts to attach flywheel housing to cylinder block-26 spline applications). FM-WVDC-70A

HUR-SAE4 Kubota Diesel 1902 Series; flywheel housing for Hurth HBW-50, 100 and 150-2R gear (2:1 ratio).

Starter cover plate for use on housings (MC-24-44187) utilizing bottom mounted starters (26 spline applications). MC-24-0001

MC-24-14043 Dust cover plate used on MerCruiser style flywheel housing (MC-24-44187)(26 spline transmissions).

Direct replacemet for MerCruiser part # 44187. Fits Chevrolet in-line 6 cylinder 250 and 292 C.I.D. with 14" flywheel, Chevrolet V6 200, 201, 229 and 262 C.I.D. with 14" flywheel, Chevrolet V8 (Small Block) 265, 283, 305, 307, 327 and 350 C.I.D. with 14" flywheel and Chevrolet V8 (Big Block) 348, 396, 409, 427 and 454 C.I.D. with 14" flywheel (26 MC-24-44187

spline applications).

Detailed Description


Buick V8 1967-75; 400, 430 and 455 C.I.D., Oldsmobile V8 1964-84; 330, 350, 400, 403, 425 and 455 C.I.D. and Pontiac V8 1965-78; 326, 350, 389, 400, 428 and 455 C.I.D. (26 spline applications). OR-WVDC-65A

All above Pontiac, Olds and Buick models with use of top mounted starter. Requires seperate rear motor supports which mount to transmission. Order part # AS1-9 for centerline mounting; 9-0003 for 3" offset above centerline mounting and 9-0004 for 6" (26 spline applications). OR-WVDC-73A


All above Pontiac, Olds and Buick models with use of top mounted starter. Requires seperate rear motor supports which mount to transmission. Order part # AS1-9 for centerline mounting; 9-0003 for 3" offset above centerline mounting and 9-0004 for 6" (26 spline applications). Rear engine mounts are incorporated into housing for top OR-WVDC-76A


mounted starter.


RUBBER ENGINE MOUNTS




8-0001	Rubber engine mount; single. Adjustable both vertically and horizontally to facilitate engine-propeller shaft alignment. Each mount has a capacity of 350 lbs. The rubber cushions are locked to the base and are oil and fuel resistant.
8-0002	Rubber engine mount; double. Increased capacity for Diesel and extra heavy-duty applications. The rubber cushions are locked to the base, not vulcanized and can be replaced. This mount is vertically adjustable to facilitate engine alignment. Each mount has a capacity of 350 lbs.
8-0004	Rubber engine mount; single. This mount retains all of the fine features of the 8-0001 augmented by an additional tie-down area to bolt to the stringer pads. Each mount has a capacity of 350 lbs.
8-0006	Rubber engine mount; single. Adjustable both vertically and horizontally to facilitate engine-propeller shaft alignment. Each mount has a capacity of 350 lbs. The rubber cushions are locked to the base and are oil and fuel resistant.
8-0007	Rubber engine mount; double. Increased capacity for Diesel and extra heavy-duty applications. The rubber cushions are locked to the base, not vulcanized and can be replaced. This mount is vertically adjustable to facilitate engine alignment. Each mount has a capacity of 550 lbs.
8-0008	Rubber engine mount; single. This mount retains all of the fine features of the 8-0006 augmented by an additional tie-down area to bolt to the stringer pads. Each mount has a capacity of 350 lbs









Specifications For Rubber Engine Mounts

Part#	Α	В	С	D	Е	F Thread	Bolt Size	н	1	J	к	L	М	N	0	Max Rated Load Per Mount In Lbs.	Avg. Rated Load In Ins.	Packaged Weight In Lbs.
8-0001	5	1 3/4	4 1/2	1 5/16	5/8	5/8 - 18UNF	7/16	4	1 3/16	2 1/2	2 11/16	N/A	N/A	N/A	N/A	350	0.060	3
8-0002	8 1/4	2	5 5/8	1 5/16	5/8	5/8 - 18UNF	7/16	7 1/4	N/A	2 1/2	3 1/8	N/A	N/A	N/A	N/A	550	0.060	5
8-0004	5	1 3/4	4 1/2	1 5/16	5/8	5/8 - 18UNF	7/16	4	N/A	2 3/4	2 11/16	1/4	1	2 3/4	1 1/2	350	0.060	3.5
8-0006	5	1 3/4	4 1/2	1 5/16	5/8	3/4 - 16UNF	7/16	4	1 3/16	2 1/2	2 11/16	N/A	N/A	N/A	N/A	350	0.060	3
8-0007	8 1/4	2	5 5/8	1 5/16	5/8	3/4 - 16UNF	7/16	7 1/4	N/A	2 1/2	N/A	N/A	N/A	N/A	N/A	550	0.060	5
8-0008	5	1 3/4	4 1/2	1 5/16	5/8	3/4 - 16UNF	7/16	4	N/A	2 3/4	2 11/16	1/4	1	2 3/4	1 1/2	350	0.060	3

TORSIONAL DAMPERS




AS4-K2C	Three-legged damper for 26 spline transmissions and flywheel diameters more than 13.32". For V8 engines up to 350 C.I.D.
AS5-K2C	Full circle damper 13.25" diameter for 26 spline transmissions. For engines up to 370 C.I.D. Not pictured.
AS7-K2C	Full circle damper 13.25" diameter for 26 spline transmissions. For engines up to 454 C.I.D.
AS8-K2C	Three-legged damper for 26 spline transmissions and flywheel diameters less than 13.32". For V8 engines up to 350 C.I.D.



AS8 K2C

FLAME ARRESTORS







CHV 10 56



LEM 10 58



OR 10 61



OR 10 66



BA 45 486020

CHRIS CRAFT TO BARR			
		CRUSADER TO BARR (CO	ONTINUED)
CHRIS CRAFT PART #	BARR PART #	CRUSADER PART #	BARR PART #
16.20-07593	CC 20 07593	97772	CR 20 97772
16.20-07605	CC 20 07605	97924	CR 20 97924
16.20-07686	CC 1 07686	97992	CR 1 97992
16.20-08288	CC 20 08288	97993	CR 1 97993
16.20-08289	CC 20 08289	98068	CR 20 98068
16.50-05944	CC47 1650 05944	98126	CR 20 98126
16.50-06022	CC47 1650 06022	98243	CR 1 98243
16.50-07290	CC47 1650 07290		
16.50-07596	CC47 1650 07596	MARINE POWER TO BAR	R
16.50-07597	CC47 1650 07597	MARINE POWER PART #	DADD DADT #
16.50-07681	CC47 1650 07681	0000-815H7	
			50 525 020
CHRYSLER TO BARR		0991-110	CHVA 1 84
CHRYSLER PART #	BARR PART #	0991-600	CHVA 47 0000
2469556	CM 1 6672A	0992-000	20 0082
2469639	CM 20 2847405	0992-001	1 0106P
2600402	CM 20 2600402	0992-300	1 0104P
2846106	CM 1 6672B	0992-400	MC 20 44354
2846689	CM 1 0072B CM 20 6674	0992-593	20 0100
2847404	CM 20 4142411	0994-000	CHV 1 83
2847405		0994-600	CHV 47 0000
2847623	CM 20 2847405	MERCRUISER TO BARR	
3527781	CM 20 4142411	MERCRUISER 10 BARR	
3527794	CM 1 6672E	MERC. PART #	BARR PART #
3619659	CM 20 6672	97429	MC 29 97429
3675826	CM 1 5972A	12076A2	MC 20 12076
3745639	CM 1 6677A	47441A1	MC 29 47441
4142322	CM 20 4142411	47442A1	MC 20 47442
4417063	CM 1 6677A	47638A1	1 47638
E7081M	CM 1 4417063	47735A17	MC 1 47735
	CM 1 5972A	47736A17	MC 1 47736
E9232M	CM 20 9232	47737A10	MC 1 47737
E9233M	CM 20 4142411	47738A10	MC 1 47738
CRUSADER TO BARR		55538A2	MC 20 55538
CRUSADER PART #	DADD DADT #	58759A14	MC 1 58759
20471	BARR PART #	59498A1	MC 29 59498
22032	CR 50 20471	60252A2	1 60252
	CR 50 22032	60783A3	MC 29 60783
22033	CR 50 22033	61851A3	MC 20 61851A2
96108	CR47 C 96108	62898A1	MC 29 62898
96120	CR 1 97752	63122A13	MC 1 63122
96121	CR 1 97753	63588A1	MC 29 63588
96306	CHV 47 0000	65603A13	MC 1 65603
96369	CR 50 96369	65604A12	MC 1 65604
96560	CR 20 96560	72963A9	MC 20 72963
96562	CR47 C 96562	73811A1	1 73811
96653	CHVA 47 0000	73813A1	
97169	CR 20 97169	73813A1	1 54870
97387	CR 20 97387	76325A9	1 73813
97624	CR 20 97624		MC 20 76325
97752	CR 1 97752	76351A2	MC 20 60426
97753	CR 1 97753	76351A2	MC 20 76351
		76668A3	MC 20 76668

MERCRUISER TO BARR (CONTINUED)		OMC TO BARR (CONTINUED)	
MERC. PART #	BARR PART #	OMC PART #	BARR PART#
76771A3	MC 20 76771	979758	OMC 1 979758
77234A7	MC 1 77234	979759	OMC 1 979759
77235A8	MC 1 77235	979760	OMC 1 979760
78984A1	MC 29 78984	979761	OMC 1 979761
78985A1	MC 29 78985	980083	OMC 1 984054
806867A8	MC 1 99798	980188	OMC 1 704034 OMC 20 910380
807078A6	MC 1 89011	980382	OMC 24 0000
807476A6	MC 20 93320A3	980459	OMC 1 981462
807477A5	MC 20 93322A3	980460	OMC 1 984054
807988A2	MC 20 44354	980536	OMC 1 984634 OMC 20 980636
860246A10	MC 1 87114	980572	OMC 1 980959
861493A3	MC 29 47587	980617	OMC 1 980939 OMC 20 980617
861493A3	MC 29 60372	980957	OMC 20 980017 OMC 1 984054
87290A4	MC 29 87290	980959	OMC 1 980959
90736A18	MC 29 90736	981281	OMC 1 980939 OMC 20 981281
90880A2	MC 20 90880	982490	
95862A5	MC 1 95862	982680	OMC 1 984054
96705A1	MC 1 52390	3860790	OMC 20 982680 VO 20 3862627
96705A10	MC 1 96705	3860/90	VO 20 3862627
97428T 2	MC 29 97428		
98502A2	MC 20 98502	OSCO TO BARR	
98504A3	MC 20 98504		
99746A17	MC 1 99746	OSCO#	EDM PART#
NLA	MC 20 61811A4	106	CM 1 6672B
NLA	MC 29 79468	121	CM 1 5972C
1623-8951A37	MC51 1623 8951A27	150	CM 1 5972B
865995A01	MC 20 865996A3	424	CM 1 5972D
866178T01	MC 1 866178	557	CM 1 6672E
0001/0101	1416 1 000170	639	CM 20 2847405
OMC TO BARR		689	CM 20 6674
OMC PART #	DADD DADT#	794	CM 20 6672
311550	BARR PART#	826	CM 1 6677A
312148	1 910280	992	20 0082
312148	1 312148	994	CHV 1 83
314810	1 312149	2018	20 0102
	OMC 29 982201	2076	MC 20 12076
384560	OMC 24 0000	2441	OMC 1 912441
385799	OMC 20 910380	2442	OMC 1 912442
907776	OMC 20 981281	4354	MC 20 44354
907777	OMC 20 981281	5538	MC 20 55538
907885	1 907885	5603	MC 1 65603
908719	1 908719	5604	MC 1 65604
909280	OMC 1 912441	5639	CM 20 4142411
910144	OMC 1 912442	5805	VO 1 835804
910280	1 910280	5862	MC 1 95862
910380	OMC 20 910380	6022	CC47 1650 06022
910384	1 910384	6108	CR47 C 96108
912441	OMC 1 912441	6325	MC 20 76325
912442	OMC 1 912442	6351	MC 20 76351
913784	01/10 1 / 12 1 12		
	OMC 20 913784	6562	CR47 C 96562
914035			CR47 C 96562 MC 1 96705
	OMC 20 913784	6562	

OSCO TO BARR (CONTINUED)		OSCO TO BARR (CONTINUED)		
OSCO PART #	BARR PART #	OSCO PART #	BARR PART #	
7081	CM 1 5972A	8503-GB	MC47 27 41811	
7169	CR 20 97169	8503-GR	MC47 27 41813	
7296	CR 20 97296	9863-T	OMC 20 982680	
7387	CR 20 97387	992-G	1 0107	
7624	CR 20 97624	992-G-FW	1 0105	
7752	CR 1 97752	992MK	20 0082P	
7753	CR 1 97753	994-S3	20 0097	
7772	CR 20 97772	BG	1 0019	
7924	CR 20 97924	CV-GH	CHV 47 0000	
7992	CR 1 97992	CW994	CHVA 1 84	
7993	CR 1 97993	CW-GH	CHVA 47 0000	
8068	CR 20 98068	CY4 GH	CHV 47 0120	
8243	CR 1 98243	CY-MG	MC 1 6364G	
8759	MC 1 58759	F66CS	50 512 019	
9011	MC 1 89011	F68C9	50 525 020	
9234	CM 20 9234	F68CS	50 512 020	
9745	MC 1 99746	FL994	FM 1 83	
9798	MC 1 99798	MC552-BB	MC 29 90736	
41812	MC47 27 41812	MC552-SB	MC 29 87290	
47510	MC47 27 47510	MC553-SB	MC 29 78984	
48818	MC47 27 48818	MC55-TBB	MC 29 47442	
50456	OMC 20 913784	MC55-TSB	MC 29 47441	
52076	MC47 27 52076	V0418	VO 1 855387	
MC553-BB	MC 29 78985			
54870	1 54870	SIERRA TO BARR		
56879	VO 20 855384			
60252	1 60252	SIERRA PART #	BARR PART #	
99204	20 0100	18-0113	MC47 27 97542	
0188	OMC 20 910380	18-0114	OMC47 907761	
0402	CM 20 2600402	18-0183	MC47 27 73866	
05944	CC47 1650 05944	18-0332	MC47 27 35898	
0879	MC 20 90880	18-0335	MC47 27 39947	
106-T	CM 1 6672H	18-0353	MC47 27 58764	
143-DEG	MC 29 59137	18-0356	MC47 27 64692	
1851(SINGLE)	MC 20 61851A2	18-0364	MC47 27 73812	
3320(SINGLE)	MC 20 93320A3	18-0418	MC47 27 46820	
3322(SINGLE)	MC 20 93322A3	18-0672	MC47 27 41811	
480-MK	CM 20 6672P	18-0872	MC47 27 33395	
480-MK	CM 20 6674P	18-0885	MC47 27 48042	
480-MK-FW	CM 20 6672J P	18-0897	MC47 27 41813	
480-MK-FW	CM 20 6674J P	18-0903	MC47 27 49110	
7081-GH	CM 1 5972P	18-0928	MC47 27 73814	
7087-MK	CM 20 9232P	18-0943	OMC47 909786	
7087-OR	CM 20 9225/6	18-0954	MC47 27 92720	
7114B2	MC 1 87114	18-0992	MC47 27 68715	
7234B	MC 1 77234	18-1203	MC47 27 53354	
7235B	MC 1 77235	18-1204	MC47 27 96429	
826GH	CM 1 6672P	18-1209	MC47 27 39917	
826-MK-SS	CM 1 6677 SS P	18-1210	MC47 27 39923	
8503A	MC 20 98504	18-1902	OMC 1 912441	
8503-G0	MC47 27 87105	18-1903	OMC 1 912442	

SIERRA TO BARR (CONTINUED)		SIERRA TO BARR (CONTINUED)	
		SIERRA PART #	BARR PART #
SIERRA PART #	BARR PART #	18-2146	MC 51 59830
18-1904	OMC 1 980959	18-2554	MC47 27 41812
18-1916	CR 20 97169	18-2819	MC47 27 39915
18-1919	CR 20 97387	18-2830	MC47 27 46401
18-1921	OMC 20 982680	18-2831	MC47 27 47590
18-1922	OMC 20 910380	18-2832	MC47 27 48043
18-1924	CR 20 97624	18-2833	MC47 27 99777
18-1927	CR 20 97772	18-2844	MC47 27 48818
18-1929	CR 1 97992	18-2849	MC47 27 87105
18-1930-1	VO 1 855387	18-2850	OMC47 908935
18-1931-1	VO 1 835804	18-2854	1 0107
18-1933	CR 1 97993	18-2859	OMC47 311131
18-1935-1	VO 20 855384	18-2860	OMC47 311131 OMC47 311130
18-1940	CM 1 6677A	18-2861	OMC47 311130 OMC47 311121
18-1941	CM 1 6672B	18-2875	OMC47 911121 OMC47 908013
18-1945	CM 20 6674	18-2883	
18-1946	CM 20 6672	18-2896	OMC47 907775
18-1950-1	MC 1 77234	18-2743	MC47 27 52546
18-1951-1	MC 1 77235	18-2820	MC47 27 94996
18-1952-1	MC 1 99746		MC47 27 64818
18-1953	MC 1 87114	18-2902	MC47 27 33395
18-1954	MC 1 95862	18-2909	MC47 27 97757
18-1955	MC 1 96705	18-2917	MC47 27 53045
18-1956-1	MC 1 99798	18-2941	CM 1 6672D
18-1957	MC 1 89011	18-2949	CHV47 0000
18-1958	MC 1 65604	18-2971	VO47 835908
18-1959	MC 1 63122	18-4008	MC 20 60207
18-1960-1	MC 1 58759	18-4009	1 60252
18-1961	MC 1 52390	18-4360	CM 1 6672B P
18-1962	MC 1 65603	18-4363	FM 1 83P
18-1968	MC 29 47587	18-4364	20 0082P
18-1969	MC 29 60372	18-4367	MC47 27
18-1970-1	MC 20 98504	18-4394	99777A1
18-1971	MC 20 76351	18-4395	MC47 27
18-1972	MC 20 76325	18-4396	33395A1
18-1973	MC 20 76523 MC 20 55538	18-4397	MC47 27
18-1974-1	MC 20 98502	18-4398	35898A4
18-1975	MC 20 12076	18-4399	MC47 27
18-1976-1	MC 20 44354	18-4461	46401A1
18-1977	MC 29 47441		
18-1978	MC 20 76771	VOLVO TO BARR	
18-1983	CR 1 98243	VOLVO PART #	DADD DADT #
18-1990	1 73813	,,	BARR PART #
18-1991	20 0089P	824532-6	VO 1 824532
18-1992-1	20 0089P 20 0087P	825599-4	VO 20 825599
18-1993		834438-4	VO 1 855387
18-1994	MC 29 78984	835804-6	VO 1 835804
18-1995	MC 29 87290	855384-4	VO 20 855384
18-1997-1	1 47368	855387-7	VO 1 855387
18-1997-1	CHV 1 83	856883-4	VO 1 835804
18-1998-1 18-1999	FM 1 83	3857723	OMC 1 914034
	20 0082	_ 3863031	OMC 20 913784
18-2104	MC 51 75832	3862627	VO 20 3862627

IT'S THE LAW - KNOW YOUR RIGHTS!

Consumers are protected from manufacturers who attempt to unfairly chain the purchasers of their products to the continued purchase of their maintenance and repair products and authorized services. Congress has provided consumers with this protection under the Magnuson-Moss Warranty Act as well as specific provisions of the Federal Trade Commission Improvement Act.

It's against the law for an original equipment manufacturer to inform consumers that their warranty would be void should they use other than genuine replacement parts or if service were to be preformed by anyone other than an authorized "OEM" dealer unless, of course, such parts and service were to be performed "Free of Charge" under the terms of the warranty.

The laws were enacted to grant the consumers and dealers the basic right to select replacement parts from competent manufacturers without fear of jeopardizing their warranty. The law directly provides the consumer the right of choice, the right to an affordable alternative choice of manufactured product. Of course, the original equipment manufacturer is not responsible for product failures or damages caused by product failures of product manufactured by others. Such damages become the responsibility of the company providing such products under the terms of their own warranties. Barr Marine by EDM originated the three-year limited warranty that has recently become the standard for all others to follow. Our warranty can be found in our catalog directly following this notice.

Barr Marine by EDM has been a manufacturer of Marine Engine Parts for seventy-three years. The company has and continues to manufacture marine engine parts for many of the original equipment manufacturers. For years, we have represented the affordable alternative choice for your needs. We thank you for your continued support!

THREE YEAR LIMITED WARRANTY

Three-year warranty on exhaust manifolds, risers and exhaust connectors manufactured by Barr Marine by EDM.

Unless specifically indicated otherwise, Barr Marine by EDM ("Manufacturer") warrants this product against defects in workmanship and material for three years from date of purchase by the original purchaser to the extent that Manufacturer will, at its option, replace or repair the product or any part thereof which in Manufacturer's judgment has such a defect, provided that written notice of such defect is received by Manufacturer at the address above within three years after date of purchase by the original purchaser. The Buyer shall return the product to Manufacturer, at Buyer's expense to the address above. Manufacturer's obligation does not include any cost of removal or reinstallation, and this warranty shall not apply if the product has been misused, abused, altered, neglected or improperly installed or repaired work by anyone other than the Manufacturer was a cause of the defect.

This Warranty does not extend to Barr Marine by EDM products used in racing or "high performance" applications. Any work done by others without notifying Barr Marine by EDM in advance of such performance and without written authorized shall automatically terminate buyer's rights or remedies against seller.

The warranties set forth above are the sole express warranties made by manufacturer with respect to this product or any thereof.

Any implied warranties, including without limitation any warranties of fitness or of merchantability, are hereby expressly limited in duration to the three-year period of this warranty.

Some states do not allow limitations on how long an implied warranty lasts, so the above limitation may not apply to you.

This warranty does not extend to anyone other than the original purchaser.

Notwithstanding anything to the contrary herein contained, if this product is specifically excluded or used for commercial purposes, rental, or other income-producing activities, then the duration of this warranty shall be one year from the date of purchase.

Manufacturer reserves the right to improve its products through changes in design or materials without being obligated to incorporate such changes in products of prior manufacture and to make changes at any time in design, materials, or parts of products without obligation or liability to owners or products of prior manufacture.

Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

This warranty gives you specific legal rights, and may also have other rights, which vary from state to state.

ONE YEAR LIMITED WARRANTY

One-year warranty on exhaust manifolds, risers and connectors manufactured by Barr Marine by EDM (except for exhaust manifolds, risers and exhaust connectors, which are covered by a three-year warranty) then the duration of this warranty shall be one year from date of purchase.

Unless specifically indicated otherwise, Barr Marine by EDM ("Manufacturer") warrants this product against defects in workmanship and material for one year form date of purchase by the original purchaser to the extent that Manufacturer will, at its option, replace or repair the product or any part thereof which in Manufacturer's judgment has such a defect, provided that written notice of such defect is received by Manufacturer at the address above within one year after date of purchase by the original purchaser. The Buyer shall return the product to Manufacturer, at Buyer's expense to the address above. Manufacturer's obligation does not include any cost of removal or reinstallation, and this warranty shall not apply if the product has been misused, abused, altered, neglected or improperly installed or repaired work by anyone other than the Manufacturer was a cause of the defect.

This Warranty does not extend to Barr Marine by EDM products used in racing or "high performance" applications. Any work done by others without notifying Barr Marine by EDM in advance of such performance and without written authorization shall automatically terminate buyer's rights or remedies against seller.

The warranties set forth above are the sole express warranties made by manufacturer with respect to this product or any thereof.

Any implied warranties, including without limitation any warranties of fitness or merchantability, are hereby expressly limited in duration to the one-year period of this warranty.

Some states do not allow limitations on how long an implied warranty lasts, so the above limitation may not apply to you.

This warranty does not extend to anyone other than the original purchaser.

Notwithstanding anything to the contrary herein contained, if this product is specifically excluded or used for commercial purposes, rental, or other income-producing activities, then the duration of this warranty shall be one year from date of purchase.

Manufacturer reserves the right to improve its products though changes in design or materials without being obligated to incorporate such changes in products of prior manufacture and to make changes at any time in design, materials, or parts of products without obligation or liability to owners of products of prior manufacture.

Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

This warranty gives you specific legal rights, and you may also have other rights, which vary form state to state.

